

PRODUCT FOCUS

FAUX-CAN

Energy Saving Fixtures



**FOR >> NEW CONSTRUCTION OR
RETROFIT OF EXISTING
RECESSED CANS**



MLFC26DWWBZ*
MLFC26WWBZ*

MLFC26DWWNI*
MLFC26WWNI*



MLFC26DWWW*
MLFC26WWW*

The Faux Can simulates the appearance of an installed recessed downlight while actually being flush-mounted to the ceiling. With the appearance of a conventional can trim kit, the Faux Can is a flat CFL light source behind a frosted diffuser, ballast within the trim, and a GU-24 base on the back.

- Flush Mount - Low Profile
- Solution for ICAT requirements
- Simple twist and lock GU24 connection
- Flat disk light bulb
- Long Life - 10,000 hours - saves 70% in Energy Costs
- Dimmable models available



*Energy Star Qualified


MaxLite™: 1-800-555-5629 Fax: 973-244-7300 info@maxlite.com www.maxlite.com

MaxLite West™: 1-800-793-1212 Fax: 909-944-1442 info@maxlite.com www.maxlite.com

*All specifications are subject to change without notice

PRODUCT FOCUS **FAUX-CAN**
Energy Saving Fixtures

FAUX CANCROSS BAR



Included in every Faux-Can:
1 GU24 Socket and adjustable
cross bar.



MLFC26WWW*
10,000 Hour
(7) 6762711505 (9)*



MLFC26WWNI*
10,000 Hour
(7) 6762711503 (5)*



MLFC26WWBZ*
10,000 Hour
(7) 6762711504 (2)*

MLFC26DWWW*
10,000 Hour
(7) 6762711502 (8)*

MLFC26DWWNI*
10,000 Hour
(7) 6762711500 (4)*

MLFC26DWWBZ*
10,000 Hour
(7) 6762711501 (1)*

FAUX-CAN C&/OEM PACK SPECIFICATIONS

Watts	Order Code	Description	Incandescent Equivalent	Lumens	Lamp Life (Hrs)	Case Pack	Dimensions (W" x H")	K
*26	70145	MLFC26DWWW Dimmable White	75	1200	10,000	12	7.9 x 1.4	2700
*26	70143	MLFC26DWWNI Dimmable Nickel	75	1200	10,000	12	7.9 x 1.4	2700
*26	70144	MLFC26DWWBZ Dimmable Bronze	75	1200	10,000	12	7.9 x 1.4	2700
*26	70148	MLFC26WWW White	75	1200	10,000	12	7.9 x 1.4	2700
*26	70146	MLFC26WWNI Nickel	75	1200	10,000	12	7.9 x 1.4	2700
*26	70147	MLFC26WWBZ Bronze	75	1200	10,000	12	7.9 x 1.4	2700

FAUX-CAN ACCESSORIES

Order Code	Description	Case Pack
70218	MLFCRK Faux-Can Retrofit Kit w/ Cross Bar	50

All specifications are subject to change without notice

FAUX CAN RETROFIT KIT

MLFCRK
(7) 6762711554 (7)*



Retrofit kit fits 6" can



FCC Certified
*UPC Codes



*Energy Star Qualified
Patent Pending
U.S. Pat. Appl. No.: 60/894,318

MaxLite™: 1-800-555-5629 Fax: 973-244-7300 info@maxlite.com www.maxlite.com

MaxLite West™: 1-800-793-1212 Fax: 909-944-1442 info@maxlite.com www.maxlite.com

PRODUCT FOCUS **FAUX-CAN**
 Energy Saving Fixtures

SPECIAL NOTES	APPLICATIONS	LOCATIONS
<p>>GU24: - 2 year warranty - For replacement product visit your local lighting and hardware store or go to www.maxlite.com/GU24.</p>	<ul style="list-style-type: none"> • Kitchens • Family Rooms • Hallways • Offices 	<ul style="list-style-type: none"> • Residential • Restaurant • Hotel/Motel • School • Hospital

BENEFITS	SPECIFICATIONS
<ul style="list-style-type: none"> • No holes in the ceiling; no loss of heating or cooling through openings; no problems of over-heating. • Has the appearance of a recessed can fixture. • Simple twist and lock GU24 connection, simply plug the Faux Can into the GU24 socket in the ceiling. • Energy saving lamps • Long Life of 8,000 hours, save 70% in energy costs. 	<ul style="list-style-type: none"> • Ballast Type >> Electronic • Input Line Voltage >> 120VAC • Input Line Frequency >> 50/60HZ • Mini. Starting Temp. >> 0°F • Max. Operating Temp. >> 100°F • Max. Ballast Case Temp. >> 90°C • Color Rendering Index >> 84

MAX9016

All specifications are subject to change without notice