


# FLATMAX SURFACE MOUNT KIT




## FLAT PANEL SURFACE MOUNT KIT

An elegant surface mount system to use Maxlites FlatMax system for interior ceilings or wall installations. White finish and aluminum construction make this a durable option.



The MLSMKFP22 comes pre-drilled for assembly to MLFP22 Flat Panels



Surface mounting the MLSMKFP22 involves use of 4 hollow wall anchors, through 4 key slots along the panel edge

### FEATURES:


- Welded corners
- Fully enclosed body
- Fits emergency back-up units
- For Edge Lit models only
- 25.88" W x 25.88" L x 1.38" H

PROJECT NAME
CATALOG NUMBER
NOTES
FIXTURE TYPE


### MODELS:

MLSMKFP14 - 1x4 Flat Panel Kit
MLSMKFP22 - 2x2 Flat Panel Kit
MLSMKFP24 - 2x4 Flat Panel Kit

\* For Edge Lit Models Only



The MLSMKFP22 holes are aligned with existing panel fasteners for assembly to MLFP22 Flat Panels




4 covers complete the installation for a clean contemporary appearance


**STEP 1:**

Remove the LED flat panel (Shown in figure 1) from package and remove the screws from the back of the LED flat panel that are marked with a "X" in (Figure 2).


**FIGURE 1**




**FIGURE 2**



**FIGURE 3**




**FIGURE 4**




**STEP 2:**

Overlay the surface mount frame (Shown in figure 3 and figure 5) overtop of the LED flat panel (Shown in figure 4 and figure 6). Figures 3 and 4 show this step in profile; figures 5 and 6 show this step head on.

**FIGURE 5**



**FIGURE 6**



## STEP 3:

Screw the longer machine screws provided in the kit into the holes marked with screw in (Figure 8) Figure 7 shows the complete panel mounted onto the surface mount kit in profile.




FIGURE 7




FIGURE 8

