

# The Latest & Greatest From QuadroMAX

Presented by: Shenali Parikh

**September 29, 2016** 





#### **TODAY'S AGENDA**

#### **Latest & Greatest From QuadroMAX:**

- QuadroMAX Overview
- Applications
- Solutions
- **Mounting Options**
- **Key Specs & Options**
- **New Features**
- **Quick Ship Program**
- Website Redesign
- **Marketing Tools**
- Case Study
- Q&A

## MaxLite Webinars

MaxLite Presents:

Catch up with the latest & greatest from QuadroMAX



Thursday, 9/29/16 @ 12pm EST

QuadroMAX\* can be customized for virtually any type of outdoor lighting application by applying one of eight different mounting arms to a universal body to create a Canopy, Area, Flood or Wall Pack luminaire.

- New, easy way to order

- New features & offerings
- Available through QuickShip **Program**









Click Here To Register Now!











#### **QUADROMAX:**



## **QUADROMAX OVERVIEW**

- FIVE modules offer 150W MH to 400W+ MH replacements
- EIGHT mounting options address the FOUR key areas of outdoor lighting
  - Area
  - Flood
  - Wall
  - Canopy
- ONE design for a complete, cohesive look



Universal luminaire designed to address all outdoor applications



**QUADROMAX:** 



## **DESIGNED FOR ALL OUTDOOR APPLICATIONS**



Area Light



Flood Light



Wall Pack



Canopy



## **QUADROMAX SOLUTIONS**



- Offer a full range of solutions from 150W HID to 400W+ HID equivalencies
- Addresses all wattage needs of a given project
- Can be scaled up or down
- Offers an higher-end, architectural look





## **MOUNTING OPTIONS**

#### Area Lighting



**Rigid Pole Mount** 

**Wall Pack** 



**Slipfitter Fixed** 

#### **Flood Lighting**



Slipfitter Knuckle



**Trunnion Swivel** 

#### **Wall Pack Lighting**



**Fixed Surface** 



**Knuckle Surface** 

#### **Canopy Lighting**



**Canopy Mount** 





## **POLE OPTIONS**

Series/ Nomenclature	Image	Finish	Heights	Gage/Size
PL-SQxxS Square Steel Poles		Bronze	12ft 20ft 25ft	11ga, 4" OD
PL-RDxxS Round Steel Poles	MaxLife poles coming soon. Confact your local MaxLife sales sep for more info.	Bronze Black White	30ft 12ft 20ft 25ft	11ga, 4" OD  (except 30ft poles  7ga, 5" OD)

**Coming Soon!** 





#### **POLE FEATURES & BENEFITS**

#### **Features**

- Fabricated from highest grade material and conform to ASTM A500
- Min. Yield Strength: 55,000psi
- Anchor Bolts can be shipped ahead of time at no charge
- High Quality
- Easy to install and order
- Short delivery lead times

#### **Benefits**

- Complete a full project with MaxLite's outdoor fixtures and poles
- Compliments the QuadroMAX Series
- Finishes match MaxLite's outdoor solutions:
  - QuadroMAX Series
  - ARX (1000W equiv. Area Light) Series





#### **POLE APPLICATIONS**

#### **Commercial | Area Ltg'**



- Parking Lots, Car Dealerships, etc.
- Typ. 20-30ft Steel Poles

#### **Commercial | Pedestrian-Scale Ltg'**



- Campuses, Resorts, Parks, etc.
- Typ. 12ft Poles

#### **QUADROMAX:**



#### **KEY SPECS & OPTIONS**



















#### **Product Specs**

- Up to 20,000 lumen package
- Efficacy: 102-116 LPW
- 20kV surge suppression standard
- 0-10V dimmable driver standard
- Available in 120-277V and 347-480V

#### **Controls Options**

- Hi/Low/Off Motion Sensor
- 3-pin, 5-pin, 7-pin NEMA photocontrol receptacles
- 120V Button Photo Control


#### **Certifications**

- DLC 3.1 Premium
- Canopy models are DLC 3.1 Standard
- T24 Compliant
- UL listed for wet location
- 10 year warranty
- Assembled in the US available





#### **NEW FEATURES**



- Warmer CCTs available: 3000K and 4000K
- New finishes: White and Black
- Higher Lumen Package: Up to 20,000 lumens
  - New features added to meet evolving market demands





## **QUICK SHIP PROGRAM**



Aimed at helping customers meet tight project deadlines, MaxLite introduces a
Quick Ship Program that provides high quality LED lighting solutions at rapid
delivery speed.

The program is limited to specific SKUs and quantities; for complete guidelines, go to MaxLite.com/Quick-Ship.






#### **EASY TO ORDER**



AMILY	-	LE	D ENGINES		DRIVER	-	RIVER	DIE	TRIB.	•	СТ		TIONS	-	FII	NISH	-		DECUPANCY & DECUPANCY &
QM=	-	2A=	24 LEDs (55W) 6000-6300 lm	U=	120-277V	7=	700mA	T2=	Type II	30=	3000K	N=	None	-	B=	Bronze	-	(OMIT)=	None
		3A=	36 LEDs (80W) 9000-9300 lm	н=	347•480V**	8=	800mA**	T3=	Type III	40=	4000K	C=	Canopy		w=	White		MS4=	Sensor (Hi/Low/Off)
		4A=	48 LEDs (110W) 12,000-12,600 lm					T4=	Type IV	50=	5000K				L=	Black		RPC=	NEMA Rotatable Photocell Receptacle (std.
		5A=	60 LEDs (135W) 14,800-15.500 lm					T5=	Type V									PR5=	Photocell Receptacle 5-Pin
		6A=	72 LEDs (160W or 185W)* 17,800-20,000 lm															PR7=	Photocell Receptacle 7-Pin
																		врс=	Button Photocontrol



Canopy mount included with fixture if selected. Not sold separately.

Easy to order, easy to sell, easy to stock!






Website Redesign Launching at the end of October.

















Product finder, utility rebates, lighting layouts, and all current features are still available!









**Accessories and options** 



#### **QUADROMAX:**



#### **MARKETING TOOLS**



TAKING IT TO THE STREETS WITH QuadroMAX MaxLite 100 a 100 0 0 0 0 AND THE REAL PROPERTY. 0 0 200 Canney 0 MaxLite 00 0 0 0 0 0 -0 Carrey 0

> QuadroMAX Counter Mat

QuadroMAX Brochure





## **QUADROMAX CASE STUDY**

Church Converts to Energy Saving
Benefits of LED Lighting from MaxLite



#### CASE STUDY



The First Baptist Church of Bethalto, Illinois was looking to update its facility with improved lighting that provided energy savings. The 25,000-square-foot building and exterior were lit by an aging system of fluorescent and metal halide fixtures that had become prohibitively expensive and labor intensive to maintain. Converting to LED was the ideal solution because of its lower energy consumption and longevity. Working with local representative agency Cool City Lights, the church replaced the lighting throughout the property with MaxLite LED lamps and fixtures.

The most dramatic transformation occurred on the exterior of the building, where many of the fixtures were no longer functional. Six 400-watt metal halide pole-top fixtures in the parking lot were replaced with QuadroMAX, MaxLite's universal and scalable outdoor luminaire, in a 160-watt. 5000K configuration. Delivering exceptional efficacy of 110 lumens per watt, QuadroMAX can be customized for virtually any type of outdoor lighting application by applying one of eight different mounting arms to a universal body to create a canopy, area, flood or well pack luminaire.

MaxLite LED wall packs were installed on all sides of the building to enhance the safety and security of parishioners. Five 80-watt WallMax standard LED wall packs replaced 400-watt metal hailde fixtures in front, while seven 175-watt metal hailde wall packs in the receiving area at the rear of the building were exchanged for 30-watt full cutoff models. A higher output, 55-watt full cutoff model was selected to replace the 250-watt metal hailde wall pack above the door on the east side of the building. "We were very pleased with the lighting upgrades. The biggest improvement was in the parking lot. Previous dark spots have been eliminated, and the safety of those coming and going from the Church has improved."

- Tom Howland, Trustee, First Baptist Church

MaxLite\*: 1-800-555-5629 | Fax: 973-244-7333 | Web: www.maxlite.com | E-mail: info@maxlite.com



Inside the church, the goal was to create a more inviting atmosphere while cutting energy costs.

"The crew was challenged to provide lighting that was warm and welcoming to our congregation," said church trustee Tom Howland. "This was accomplished by Richard [Tallerico, president of Cool City Lights] working closely with our worship pastors. The end result is very good, and we are anxious to see the energy savings."

Forty MaxLite 14-watt downlight retrofits in 5000K were used to convert the 90-watt incandescent downlights above entranceways and the stage in the gymnasium and auditorium. The retrofits were installed into the existing 6° recessed cans using torsion springs, allowing the work to be completed without opening the ceiling. Twenty-six 2'v4' fluorescent troffers in the stairwells and balcony walkway were replaced with 45-watt Direct Lit Flat Panels in 3500K and 4100K. Both the downlights and panels are dimmable, providing the church with additional energy savings and enabling members to tailor the light to preference.

Fluorescent linear fixtures throughout the gymnasium and auditorium were re-lamped with MaxLite LED T8 and T5 lamps in a range of color temperatures, while six lamp-ready highbay fixtures were installed in the main reception area.

By switching to LED, the church will save approximately 55,000 kWh and \$3,600 in energy costs annually, and recoup its investment in 2  $\frac{1}{2}$  years.







#### /laxLite

Max.Lite has been committed to providing energy efficient lighting products for more than 20 years, and was one of the first movers into LED technology in the industry. A four-time ENERGY STAR\* Partner of the Year, Max.Lite established the Max.LEO\* brand, an extensive line of indoor and outdoor lighting fixtures featuring innovative LED luminaires and lamps using the latest state-of-the-art LED technology.

MaxLite\*: 1-800-555-5629 | Fax: 973-244-7333 | Web: www.maxlite.com | E-mail: info@maxlite.com







## **QUADROMAX.COM**



Visit QuadroMAX.com for **product videos**, **Datasheets**, **Photometrics**, **Ordering Information** and more!



#### How To Order



#### Quickest Turnarounds

We keep the QuadroMAX in stock and just add the mounting part you need. This means customers can order a specification-grade customizable fixture that ships in the same amount of time as a standard product.



#### Click Below For Models and Specifications

	<b>GMSNu/yystems</b>	GRON-THURS	GAMMA/3350WFB	QMSALTyyenTS	<b>GMAN/YINWE</b>	US Wallpook Falures
	GROW/WOOD	QMSA/1 <sub>SH</sub> CFB	QMHH/350CFE	QMSA/WHOTH	GMAN THEORY	UED Corrupy Refunes
í	GMCHATHUMB	ORDA/YUMAN	GMHA/yyuPMB	GMSAcTyyerNe	GREAT/HISPAR	180 Area Light Robuse
	GMSA/yyann	QMSAL/yyusis	generally patients	GMSA/19098	QARLALTY/USES	180 flood light flatures
	GMSAc/yys/FB	QMSAs/yys/FR	GMMA/7550978	GMSAc7yysSFB	QHIA/yyeff	(8) Ford Sightler Returns
ı	GMSA/WHITE	QMSN/yusta	GRANAL Tryst TIR	GMSA/WHITE	GREAT WATER	UID Trunsion Return
	GROW/WHITE	GMSAu?yyuRSB	QMRN-Tyyurte	GMEAN*HARE	GREALTY/UNITE	USD Surface Adjustation
	GMCANTY/WHTB	QMSH/yyeff#	GMM/Injeff8	QMSA/WHFIB	QHINA/WHITE	UED Surface Fixed
	**	80	110	186	160	Input Mallage
	100-0174,347-0007	101071(30'40)	1007130401	1004713474007	101071(30'469'	Voltages
	MilmA	Mina	Mina	MINA	790 mA	Drive Current
	6000 tm	THE IN	13,400 to	15,500 tm	18.600 mm	Delivered Lumers (Int)
	20	19	76	70	70	Color Bandwing Index (CR
	4000K, SHIDK	400K, 5000K	4000K, 5000K	400K, 500K	400K, 5000K	Colo lemperature (CCI)
	Spell NO	Spell NV	Spell(NY	Type III, NCV	Spell RV	Dahlbuhora
١	9.104	5-10V	0.107	0.104	9-10V	Dimming Now



#### Best-In-Class Protection

The QuadroMAX is engineered with state-ofthe-art LEDs and 20KV surge suppression to protect the fixture from power surges. A maintenance-free lifetime of 100,000 hours, limited five-year warranty and lifetime customer support make the QuadroMAX the smart choice for converting lighting systems to the energyand cost saving benefits of LED.





## **MAXLITE LIGHTING & TECHNOLOGY UNIVERSITY**



MaxLite University has been updated for 2016!
All three courses now include information on LED technology, fixtures, Lamps, ENERGY STAR and other certifications.



MaxLiteUniversity.com



#### **REBATE SERVICES:**



## MAXLITE'S UTILITY REBATE SERVICES

MaxLite makes it easy to find and complete rebates for you and your customers!

- C&I Rebate Finder
- Utility Rebate Flyers
- Custom Rebate Calculator
- DLC / ENERGY STAR / LDL Product Listings
- Utility Rebate Paperwork Service

Email Joe Pater at jpater@maxlite.com for more info!



#### **THANKS FOR ATTENDING:**



#### **QUESTIONS/ANSWERS**

Thank you everyone for your attention! Please feel free to use this opportunity to ask any questions you may have about MaxLite or the products shown in this presentation.

FOR MORE INFORMATION ABOUT OTHER MAXLITE PRODUCTS, OR FOR LIGHTING QUESTIONS IN GENERAL; PLEASE CONTACT:

info@maxlite.com http://www.maxlite.com 1-800-555-5629

