


PATHMAX™ LED BOLLARDS
CLASSIC SERIES



DIMENSIONS:



PRODUCT DESCRIPTION:

The round Classic LED Bollard is an economical and energy efficient choice for lighting walkways, plazas and other pedestrian areas in commercial and residential applications. Constructed of durable aluminum for maximum weatherability, the bollard features a specialized cone reflector that projects light down and outward for ample illumination that enhances pedestrian safety and security.

FEATURES:

- Up to 50,000 hour L70 lifetime, TM-21 standards @ 25°C
- Dimming Driver Standard
- Sealed fixture is dirt and bug free
- CRI: ≥85
- 5-year Limited Warranty

CONSTRUCTION:

- Aluminum Housing
- Powder coated to be rust and corrosion proof
- Internal Aluminum Cone Reflector
- Clear Polycarbonate lens

INSTALLATION:

- Flush Mounting Base with Vandal Resistant Screws
- Installation Kit with 8" Anchor Bolts Included



MODEL SELECTION				Typical order example: BL-CLRD17U-40B					
FAMILY	SUB FAMILY	SHAPE	WATTAGE	VOLTAGE	COLOR TEMPERATURE	FINISH	CONTROLS		
BL= Bollards	CL= Classic Series	RD= Round	17= 17W	U= 120-277V	40= 4000K, CRI 85+	B= Bronze <i>Contact MaxLite for additional finishes</i>	(OMIT)= None		

SPECIFICATIONS:

		BL-CLRD17
ITEM	SPECIFICATION	DETAILS
GENERAL PERFORMANCE	Input Power (W)	17
	Lumens Delivered (lm)	1255
	Efficacy (lm/W)	70
	CRI	≥85
	Lumen Maintenance (L70, TM-21 @ 25°C)	>50,000 hours
	Color Temperature	4000K
	Spacing Criteria	Available upon request
ELECTRICAL	Input Voltage	120-277V standard
PHYSICAL	Housing	Aluminum
	Mounting	Flush mounting base; anchor bolts for mounting included
CERTIFICATION	Certification	cCSAus, IP65
	Environment	Outdoor, wet location
	Warranty	5 years
	Operating Temperature	-40°F - 104°F (-40°C - 40°C)

Lighting layouts and spacing criteria available upon request.

REPLACEMENT PARTS:

ORDER CODE	MODEL	DESCRIPTION	IMAGE
102487	BL-CLRDANCHORKIT	Mounting Kit, includes bracket & three (3) 8in anchor bolts	
102486	BL-CLRDBASEPLATE	Base Plate for BL-CLRD series bollards	

MOUNTING BASE:

