



Re-Inventing Residential



RESIDENTIAL CATALOG



Our Company

MaxLite has been committed to providing energy-efficient lighting products since 1993. As one of the industry's early adopters of LED technology, MaxLite offers a comprehensive line of high-quality, certified indoor and outdoor LED lamps and luminaires—along with its award-winning c-Max Lighting Controls solution. A five-time recipient of the ENERGY STAR Partner of the Year Award for its industry leadership, MaxLite continues to be at the forefront of energy-efficient technologies through the innovative research and development capabilities of its teams and facilities in New Jersey, Indiana, and globally. MaxLite is a nationally certified Minority Business Enterprise (MBE) by the National Minority Supplier Diversity Council.

Bringing it Home

MaxLite has re-invented its residential line of products with multiple energy-efficient products that fit every corner of the house. Along with its LED Lamps and ENERGY STAR lighting fixtures MaxLite has launched its very popular line of air purifiers and smart power strips and plugs. The MaxLite Home line of products provides energy-efficient reliability at a budget-friendly price for both single-family and multi-family residences.




Table of Contents

Air Quality 4-7

Air Purifier - AP215SF3B 5

HEPA-13 Replacement Filter - APF-H13BV2 5

Air Purifier - AP215SF4B 6

HEPA-13 Replacement Filter - APF-H13BV3 6

Smart Home 8-15

Smart A19 Lamp - E9A19SMTR 10

Smart Indoor Wall Plug - IWP-SMTR-G2 13

Smart Advanced Power Strip - APS-6/USB/SMTR-G2 14

Outdoor Dual Smart Plug Outlet - OP-SMTR 14

(Non-Smart Home) 16-19

Energy Saving Power Strip - APS-8/1350J-G2 16

Desk Lamp - ML7LA4S30XX 17

Night Light - UNL-DTDS-G2 18

Residential Indoor 20-31

Puff Flush Mounts - FMP Series 21

Architectural Flush Mount - FMA Series 21

Disk Light - DSKL Series 22

Residential Recessed Baffle Downlight - RRBD Series 23

Slim Smooth/Baffle Round Downlight - SSRD/SBRD Series 24

LED Under Cabinet Light - UCL Series 25

Modern Series - LED Vanity Bar - VB Series 26

Modern Series - LED Wall Sconce - WSLA Series 26

Classic Series - LED Wall Sconce - CWS Series 28

Classic Series - LED Vanity Bar - CVB Series 28

Shop Light - Single & Dual Tube - SL3 Series 30

Garage Light - GL-054UB50 31

Residential Outdoor 32-41

LED Security Light 2 Heads - MSL2 Series 33

LED Security Light 3 Heads - MSL3 Series 33

LED Security Light 2 Heads with GFCI Outlets - MSLO2HW 34

LED Security Light 2 Adjustable Heads - MSL2HAL 35

Barn Lights - LED Area Security Light - SBL35120V-5KBPC 36

Barn Lights - LED Area Security Light - SBL100U-5KBPC 37

Decorative Wall Lanterns 38-39

Eco Wall Lanterns 40-41

Residential Bulbs 42-55

LED Enclosed Rated Omnidirectional A-Lamp 4PK 43

LED Enclosed Rated Omnidirectional A-Lamp 2T Series 44




LED Omnidirectional Dusk-to-Dawn A-Lamp 47

LED Enclosed Frosted Filament Lamps 3PK - Blunt Tip & Bent Tip 48

LED Enclosed Frosted Filament Lamps 3PK - Globe 51

LED Reflector Lamps BR30 Series 52

LED PAR38 Series Lamps 55



Air Quality in Your Home





AP215SF3B



MODEL NUMBER	AP215SF3B
ORDER CODE	111578
Air Changes Per Hour (ACH) *	Room Size: 219 ft ² , ACH: 5; Room Size: 545 ft ² , ACH: 2; Room Size: 1,090 ft ² , ACH: 1
Smoke Test Particulate: CADR	141 ft ³ / min
Dust Test Particulate: CADR	148 ft ³ / min
Pollen Test Particulate: CADR	172 ft ³ / min
Smoke CADR Watt	5.7 ft ³ /W
Effective Area	144 CADR/219 ft ²

* Based on 5 air changes per hour (ACH). Effective for larger rooms but purification will take longer.

ENERGY STAR Certified Air Purifier

Features:

- H13 True HEPA filter (MaxLite model # APF-H13BV2) included with Air Purifier
- 5.2 ft 18AWG x 2 black power cord with NEMA 1-15P plug included
- Traps at least 99.97% of airborne allergens, dust, and smoke particles
- Built-in timers set the air purifier to run for a specific amount of time
- Sleep mode runs the air purifier on the lowest and quietest setting
- Display screen can be turned off for optimized rest
- Display lock prevents current settings from being changed
- Meets California ozone emissions limit. CARB certified.
- Warranty: 1 year standard.



HEPA-13 Replacement Filter

Features:

- **PERFECT FILTER** - With all HEPA filters are under H13 standard, the MaxLite air filter replacement for MaxLite model AP215SF3B can be 99.97% effective in removing all odors and gases from your home.
- This filter replacement for MaxLite model AP215SF3B made of high-strength and healthy material to ensure best performance and a healthy lifestyle, helpful for improving the air quality at home
- **COMPATIBLE MODEL** - MaxLite replacement filter fully fit for MaxLite model AP215SF3B air purifier.
- **H13 FILTRATION** - MaxLite air filter replacement adopts 3-in-1 design 1. Fine Preliminary Filter, 2. H13 Grade True HEPA Filter, 3. Activated Carbon Filter) to trap cooking smell, smoke, VOC and other odors.



APF-H13BV2



MODEL NUMBER	AP215SF4B
ORDER CODE	114201
Air Changes Per Hour (ACH) *	Room Size: 229 ft ² , ACH: 5 Room Size: 572 ft ² , ACH: 2 Room Size: 1,145 ft ² , ACH: 1
Smoke Test Particulate: CADR	148 ft ³ /min
Dust Test Particulate: CADR	159 ft ³ /min
Pollen Test Particulate: CADR	174 ft ³ /min
PM _{2.5} CADR/Watt	6.2 CFM/W
Smoke CADR Watt	5.7 ft ³ /W
Effective Area	154 CADR/229 ft ²

* Based on 5 air changes per hour (ACH). Effective for larger rooms but purification will take longer.



AP215SF4B

ENERGY STAR Certified Air Purifier

Features:

- H13 True HEPA filter (MaxLite model #APF-H13BV3) included with Air Purifier
- 5.9 ft 18AWG x 2 black power cord with 10A
- 125V plug included
- Traps 99.97% of airborne particles as small as 0.3 microns
- 3-stage filtration with preliminary filter, H13
- True HEPA filter, and high-efficiency activated carbon filter
- Built-in timers set the air purifier to run for a specific amount of time
- 4 fan speeds: Sleep, Low, Medium, and High
- Sleep mode runs the air purifier on the lowest and quietest setting
- Child Lock prevents unintended setting changes
- Meets California ozone emissions limit
- CARB certified.



HEPA-13 Replacement Filter

Features:

- PERFECT FILTER - With all HEPA filters are under H13 standard, the MaxLite air filter replacement for MaxLite model AP215SF4B can be 99.97% effective in removing all odors and gases from your home.
- This filter replacement for MaxLite model AP215SF4B made of high-strength and healthy material to ensure best performance and a healthy lifestyle, helpful for improving the air quality at home
- COMPATIBLE MODEL - MaxLite replacement filter fully fit for MaxLite model AP215SF4B air purifier.
- H13 FILTRATION - MaxLite air filter replacement adopts 3-in-1 design 1. Fine Preliminary Filter, 2. H13 Grade True HEPA Filter, 3. Activated Carbon Filter) to trap cooking smell, smoke, VOC and other odors.



APF-H13BV3





Smart Home



Smart Home



E9A19SMTR

Smart A19 Lamp

The Smart A19 Lamp offers a wide range of color temperatures, adjustable from 2700K to 6500K. By effortlessly rotating the dial within the app, you can easily assign various colors to the lamp. Complete control over the lamp's functionality, from powering it on to tuning the colors, can be achieved using most smart home hubs like Google and Alexa.

A19 (E26 BASE)	
MODEL NUMBER	E9A19SMTR
ORDER CODE	110371
Input Wattage	9W
Input Voltage	120V
Delivered Lumens (lm)	800 lm
Efficacy (lm/W)	90
Color Rendering Index (CRI)	≥80
Color Temperature (CCT)	RGB, 2700K-6500K Tunable
Dimmable	Yes, 10-100%
Power Factor	≥0.50
Replacement	60W
Programming	Compatible with most smart home hubs via Tuya Application. WIFI-2.4G/BLUETOOTH-V5.2
Radio Frequency	WIFI-2.4G/BLUETOOTH-V5.2
Operating Temperature	-4°F to 104°F (-20°C to 40°C)
Lumen Maintenance (L70)	≥15,000 hours
Environment	Suitable for dry/ damp locations
Listings	UL listed, FCC CFR Title 47 Part 15 Subpart B Class B, RoHS







IWP-SMTR-G2



Smart Indoor Wall Plug

Features:

The Smart Wall Plug allows you to control a variety of devices, including table-top fans and Christmas tree lights, directly from most common smart home hubs like Google and Alexa. Enjoy the convenience of managing your devices effortlessly and remotely, all with a simple tap on your smartphone.

- **Control Your Appliances and Devices:** Control lights, fans, lamps, humidifiers, and any other appliances or electronics that plug into 120V outlets with a 10A Maximum Continuous Load (15A Max Peak Load for up to 1hr/day)
- **Monitor Your Home Energy:** MaxLite Home smart plugs let you stay on top of energy used by your devices and appliances. Eliminate wasteful stand-by power, save on electricity, and extend product life.
- **Smart Scheduling for Maximum Control:** With built in on/off scheduling capability, use your smart plugs to automatically switch on and off appliances and devices.
- **Remote Control. Anytime, Anywhere.** Control your home remotely using the Tuya Smart App on your phone. Leave the lights on? Forget to turn off an appliance? Check the real-time status and toggle it on or off anytime, anywhere!
- **Requires 2.4GHz WiFi Connection** to control your devices remotely from your phone with an internet connection. 5.0 GHz WiFi networks are not supported.

Smart Home



APS-6/USB/SMTR-G2



Smart Advanced Power Strip Gen. 2

The strip boasts four individually controlled outlets that can be conveniently managed using an app. It also includes two USB charging ports for small electronic devices, although these ports are not controlled through the app. For easy identification, you can assign custom names to each of the four outlets within the app. Experience effortless control over your devices with this versatile strip directly from most common smart home hubs like Google and Alexa.

Features:

- Surge protection to 245 Joules
- 4 Total AC Outlets, 2 USB ports
- Product color: White



OP-SMTR



Outdoor Dual Smart Plug Outlet


The Outdoor Dual Smart Plug Outlet allows you to control a variety of devices, including String lights and Christmas/Decorative lights, directly from most common smart home hubs like Google and Alexa. Enjoy the convenience of managing your devices effortlessly and remotely, all with a simple tap on your smartphone.

Features:

- Control each outlet independently
- Set schedules and timers for each outlet independently
- Weather resistant
- High Power Capacity at 15A / 1875W



Advanced Power Strip



APS-8/1350J-G2



Energy Saving Power Strip (Non-Smart Home)

The MaxLite 8-Outlet Advanced Surge Protector Power Strip (APS) saves energy by shutting off any peripheral devices when the main device is turned off. Simply plug the main device into the “Master” outlet and the peripheral devices into the Energy Saver secondary outlets. When the main device is powered off the APS senses the current drop and shuts off all power to the peripheral devices saving energy.

Features:

- Advanced Power Strip with 8 receptacles and 1350 joules of surge protection
- 1 Pack packaged in MaxLite branded box with UPC

Desk Lamps for Your Home



ML7LA4S30BK



ML7LA4S30WH

Desk Lamp

The LED Desk Lamp with USB port illuminates your work area while you charge your compatible devices. Its compact design packs plenty of light while taking up minimal space on your desktop. The lamp is designed with an energy saving LED light source that provides soft, even illumination for reading, crafts and other tasks. The fixture features a flexible neck that allows light to be easily directed to where it is needed and an easy-to-reach on/off touch switch on the base.

Features:

- Slim profile
- ON/OFF touch switch
- High CRI ≥ 90
- USB 2.0 port, 5V
- Adjustable neck
- Beam angle: 115°

Night Light



UNL-DTDS-G2

Night Light available in 4 packs

Dusk to Dawn Night Light Gen 2

MaxLite's LED Dusk to Dawn Night Light is the easy and energy-saving way to light your home at night. This plug-in night light features a dusk-to-dawn sensor that automatically turns the light on at night and off during the day. The compact size is perfect for adding small amounts of light to closets, bathrooms and hallways.

MODEL NUMBER	UNL-DTDS-G2
ORDER CODE	111559
Maximum Input Voltage	120 VAC
Nominal Input Frequency	60Hz
Watts	0.3W LED
Maximum Line Current (amps)	15A
Color Temperature	3000K
Lumen Output	>4 lm
Efficacy	>20 lm/W
CRI	>60
Housing	ABS Plastic V-0
Diffuser	Polycarbonate, V-2
Certification/Standard	ETL Listed
Operating Temperature	32°F to 104°F
Environment	Indoor/ Dry location



Residential Indoor



LED Ceiling Fixtures



11"
FMP11T08WCSW



13"
FMP13T10WCSW



15"
FMP15T12WCSW



Features:

- The FMP Series Puff Ceiling Fixture combines a clean, low-profile design with advanced lighting performance, making it ideal for commercial, multi-unit residential, and hospitality environments
- Available in 11", 13", and 15" sizes with a smooth white finish, it offers wattage and CCT selectability (2700K-5000K) to suit a wide range of applications. With a CRI ≥ 90 , 120° beam angle, and versatile dimming options (120V TRIAC or 120-277V 0-10V), the fixture ensures high-quality illumination and control.

Puff Flush Mounts



12"
FMA12T08WCSN



14"
FMA14T10WCSN



16"
FMA16T12WCSN



Features:

- The FMA Series Architectural Ceiling Fixture delivers modern design, high efficiency, and versatile performance for commercial, multi-unit residential, and hospitality applications
- Available in 12", 14", and 16" sizes with sleek nickel finishes, it features wattage and CCT selectability (2700K-5000K), ensuring tailored light output and ambiance.
- With a CRI ≥ 90 , wide 120° beam angle, and dimming flexibility (120V TRIAC or 120-277V 0-10V), the FMA Series provides superior light quality and control.
- Options include bi-level motion sensing, Bluetooth-enabled controls, and emergency battery backup for added safety and efficiency. ETL-listed for damp locations and Title 24 compliant, this fixture guarantees reliability, long life ($\geq 50,000$ hrs), and design consistency across applications

Architectural Flush Mount



LED Ceiling Fixtures



4"

DSKL-4R10T9CS-W



6"

DSKL-6R10T9CS-W



Disk Light

The LED Disk Light's versatility as a flush mount fixture and surface downlight saves electrical contractors time, labor and space by making it possible to install custom downlighting without a recessed can. This luminaire is wet location rated, CCT selectable (2700K/3000K/4000K/5000K), Title 20 and UL listed as both a retrofit kit and a luminaire.

Features:

- The slim-profile Disk Light is available in two sizes, and mounts directly to a 3"/4"/5"/6" housing and standard 4" J-Box. In other words, more options and fewer SKUs to stock on distributor shelves and job sites!
- Providing exceptional performance in general lighting applications for homes, hotels, motels and commercial properties, this series can also serve as a cost-effective temporary lighting solution.



CCT Selectable Downlights



4"
RRBD-4R7.5T9CS-W



6"
RRBD-6R9.5T9CS-W



6" Wattage Selectable 7.5/11/14W
RRBD-6R14WT9CS-W

Residential Recessed Baffle Downlight

Constructed with a high-efficacy LED array, the Downlight Residential Retrofit series features an optical diffuser that produces high lumen transmission and even illumination. The fixtures are suitable for wet locations; available in 90 CRI with CCT selectability that includes 2700K/3000K/3500K/4000K/5000K. They are the economical solution for consumers looking to reduce energy costs.

Features:

- 2700K/ 3000K/3500K/4000K/5000K CCT Selectable
- CRI: ≥90
- Beam angle: 95°
- Tool-less installation
- E26 screw-base connector included



CCT Selectable Downlights

Slim Smooth / Baffle Round Downlight



Smooth Trim
SSRD-4R10.5T9CS-W

4"

6"

8"



Baffle Trim
SBRD-4R10.5T9CS-W

The CCT Selectable Slim Downlights mount directly into the ceiling, requiring no can. With a simple flick of a switch on the remote driver junction box, installers can choose from 2700K, 3000K, 3500K, 4000K or 5000K as CCT to suit various application needs. Low profile and easy to install, the Flush style fixture is Energy Star, wet locations, IC rated and supports Title 24. Its edge lit optics provide an even and low glare illumination with an outstanding color rendering, making it the ideal choice for hospitality, retail, offices and residential spaces.

Features:

- Mounts into ceiling without the use of a separate housing
- 2700K/ 3000K/3500K/4000K/5000K CCT Selectable
- CRI: ≥90





Cabinet Lighting

LED Under Cabinet Light

MaxLite's LED Under Cabinet Light is designed to provide clean, efficient illumination for task and accent lighting applications. Available in multiple lengths with white or brown finish options, it features Field Selectable CCT, TRIAC dimming, and a 50° swivel lens that allows light to be directed where needed. Multiple fixtures can be linked together using compatible connectors and linking cables, allowing continuous illumination across different cabinet lengths. The adjustable 100% or 50% brightness setting provides added flexibility, while the damp location rating supports use in a variety of indoor spaces.

Features:

- Available in 10", 16", 24", and 32" Lengths
- Available in White or Brown Finishes
- Field Selectable CCT
- High Color Rendering (CRI >90)




10"
UCL10-6CSBN




10"
UCL10-6CSWH




Modern Series




18" Black
VB18LA209BKCS



30" Black
VB30LA289BKCS



18" Brushed Nickel
VB18LA209BNCS



30" Brushed Nickel
VB30LA289BNCS

LED Vanity Bar

The MaxLite 18" & 30" Vanity Bar combines modern design with energy-efficient LED technology to deliver bright, even illumination for bathrooms and vanity spaces. Its minimalist 18 & 30-inch profile complements contemporary décor and offers flexible installation – mount horizontally above a mirror or vertically alongside it.

Features:

- Selectable CCT options: 2700K, 3000K, 3500K, 4000K, and 5000K
- High CRI of 90+ provides accurate, natural color rendering
- Ideal for grooming, makeup application, and everyday bathroom tasks
- Dimmable with standard TRIAC dimmers for adjustable brightness and ambiance



WSLA169BNCS



WSLA169BKCS

LED Wall Sconce

Features:

- The LED Wall Sconce provides long-lasting illumination with a decorative touch to corridors in hotels, motels and commercial property applications. It offers long life, high lumen maintenance, and dimmable operation for residential and commercial applications that exceed those of a traditional bulb.
- Sleek 14-inch Design: Perfect for compact vanity areas
- Integrated LED Technology: No bulb replacements required
- CCT Selectable: Choose from 2700K, 3000K, 3500K, 4000K or 5000K for the ideal ambiance
- High CRI (≥90): Delivers true-to-life color rendering
- Dimmable: Compatible with standard TRIAC dimmers



Classic Series



Classic Wall Sconce

CWS11LA269BNCS


MaxLite's Classic Wall Sconce is a high performance integrated LED wall light designed to deliver bright, energy-efficient everyday lighting for hallways, bathrooms, bedrooms, and other residential spaces. Featuring a brushed nickel finish and a clean, streamlined profile, it offers selectable CCT to set the desired color appearance from warm to cool while providing smooth, even illumination.

Features:

- Field Selectable CCT
- High Color Rendering (CRI ≥ 90)
- TRIAC Dimmable (10-100%)
- Suitable for Damp Locations
- 50,000 Hour Rated Life (L70)



CVB48LA509BNCS - 48 Inch



CVB24LA269BNCS - 24 Inch

Classic Vanity Bars


MaxLite's Classic Vanity Bar is a high performance integrated LED vanity light designed to deliver bright, energy-efficient everyday lighting for bathroom and vanity spaces. Featuring a brushed nickel finish and available in multiple size options, it offers selectable CCT to set the desired color appearance from warm to cool while providing smooth, even illumination. Built with quality LED components and high color rendering, it helps maintain accurate color appearance in the space. Rated for damp locations, it can be mounted horizontally or vertically to suit different layouts and installation preferences.

Features:

- Field Selectable CCT
- High Color Rendering (CRI ≥ 90)
- TRIAC Dimmable (10-100%)
- 50,000 Hour Rated Life (L70)



Residential Utility Areas



Double Tube
SL3-4843-50



Single Tube
SL3-4823-50



Linkable up to
4 units

Shop Light available in 1 & 2 packs



Shop Light - Single & Dual Tube

The SL Series Shop Light is designed to replace traditional fluorescent fixtures in both residential and workshop applications. Developed with a built in on/off chain, and linkable up to 4 units, the Shop Light provides uniform light distribution ideal for workshops, garages, and utility rooms.

Features:

- Instant full brightness
- Integrated LED lights
- Built in on/off pull chain
- Can be chain mounted. Chains provided
- 5ft power cord and 120V plug included
- CRI: ≥ 80
- Linkable up to 4 fixtures



Connect up to 4 LED garage lights together



GL-054UB50



Garage Light

MaxLite's Garage Light features four super-bright panels that adjust from 0° to 90°, providing more than 270° of coverage. Delivering 5,400 lumens while using only 54W, it is six times brighter than a 60W incandescent bulb. The included adjustable chain allows the light to be installed at the ideal height. It is suitable for garages, warehouses, barns, basements, workshops, attics, display areas, and other workspaces. Connect up to four Garage Lights for expanded illumination. A 6-foot power cord with an integrated switch provides convenient operation. All accessories are included for quick, tool-free installation with no wiring or electrician required.

Features:

- 4 adjustable LED panels. Each panel can adjust to 0-90°
- Daisy-chain linkable design
- On/Off switch with plug
- No bulb socket required. Installed anywhere light is needed
- CRI: 83
- CCT: 5000K

Residential Outdoor



Security Lights



MSL2HW



MSL2HL



LED Security Light 2 Heads

The LED Motion Sensor Security Light provides reliable illumination for both tasks and security. An integral photocell automatically turns the light on at night and off during the day, while the motion sensor activates when activity is detected to assist with tasks or deter potential threats. Two adjustable heads direct light where needed. Available in black or white finishes.

Features:

- UV stabilized impact resistant polycarbonate plastic housing and heads
- 28W
- CCT 5000K
- PIR motion sensor with integral photocell



MSL3HW



MSL3HL



LED Security Light 3 Heads

The new 3-head design provides wider coverage for garages, porches, backdoors, side yards, sheds, and more. Three built-in light heads deliver brightness comparable to a 150W bulb while helping save energy. A built-in 180° PIR sensor detects motion up to 70 ft., while the photocell enables dusk-to-dawn operation. Swiveling lamp arms allow precise light direction, and the durable black aluminum housing is built to last.

Features:

- Bright LED light at 4500 Lumens, 50-Watt total
- 180° motion detection with up to 70 ft. range
- 3 adjustable lamp heads for customizable light coverage
- Durable weather resistant aluminum construction of LED housing for excellent heat dissipation
- Swivel arms allow for easy adjustment of light direction

Security Lights



MSLO2HW



2 Integrated GFCI Outlets

LED Security Light 2 Heads with GFCI Outlets

Dual integrated outlets power lawnmowers, blowers, string lights, vacuums, and other 120V devices. Motion Sensor Mode activates the light at night only when movement is detected, while Dusk-to-Dawn Mode keeps it illuminated throughout the night and automatically turns it off during the day. Adjustable motion detection durations include 30, 60, or 120 seconds, with a customizable detection range from 13 to 45 feet. Two adjustable heads deliver 2,500 lumens of bright, targeted security lighting to illuminate dark areas, discourage potential intruders, and help protect your valuables.

Features:

- Two GFCI Outlets
- Two Adjustable Heads for Wide Lighting
- Motion Detection & Dusk to Dawn Two Lighting Modes
- Adjustable Lighting Direction





MSL2HAL



LED Security Light 2 Adjustable Heads

The 25W adjustable head LED security light is easy to install and offers two distinct modes. In Motion Sensor Mode, the light stays off during the day and turns on at night only when motion is detected. In Dusk to Dawn Mode, it remains illuminated throughout the night, regardless of motion, and automatically switches off during the day.

Features:

- Motion Sensor: 180° detection angle with a range of up to 70ft, and adjustable detection duration (30S/60S/120S)
- Adjustable Beam Angle: Each head can be adjusted from a narrow 30° to a wide 80° beam angle, allowing for customized lighting coverage.
- Color Temperature: Produces 5000K daylight white light
- Brightness: Delivers 2500 lumens of light with a power consumption of 25W.

Barn Lights



SBL35120V-5KBPC

LED Area Security Light

Features:

- Ideal for illuminating garages, sheds, driveways, and surrounding areas.
- Easy to install and operates on 120V power.
- 35W LED output with a 5000K daylight color temperature.
- Integral photocell automatically controls dusk-to-dawn operation.
- Rugged die-cast aluminum housing with a corrosion-resistant polyester powder-coat finish and UV-stabilized, impact-resistant polycarbonate lens.
- Supports direct wall mounting or pole mounting with a separately sold arm.



SBL100U-5KBPC



LED Area Security Light

Features:

- Delivers 10,000 lumens of bright 5000K daylight illumination using only 100 watts.
- Built-in photocell automatically turns the light on at dusk and off at dawn for energy savings.
- Durable aluminum housing and impact-resistant polycarbonate lens withstand harsh outdoor conditions.
- IP65 rated, UV protected, corrosion resistant, and suitable for wet locations.
- Ideal for parking lots, garages, barns, sheds, driveways, porches, backyards, and other outdoor areas.
- Supports wall or pole mounting, includes mounting hardware, and is UL listed with a 5-year warranty.
- The 11-inch round design features a wide 150° beam angle for broad, even illumination across outdoor areas.



OWL-MBBK-E26

1 Modern Craftsmen Series

- Modern outdoor wall lantern with a sleek black metal frame and geometric silhouette.
- Frosted glass panels soften the light, creating a warm glow and improving nighttime visibility.
- Ideal for front doors, garages, patios, and other exterior areas.
- Weather-resistant metal and glass construction withstands rain, snow, and sunlight.
- Rust-resistant frame supports long-lasting outdoor use.

Bulbs Not Included

Decorative Wall Lanterns

2 Classic Series

- Classic outdoor wall lantern with a sleek black square frame and clear glass panels.
- Provides bright, unobstructed illumination while enhancing exterior architecture.
- Weather-resistant metal and glass construction withstands rain, snow, and sunlight.
- Rust-resistant black finish supports long-lasting outdoor use.



OWL-FBBK-E26



3 Harbor Glow Series

- Industrial-style outdoor wall light with a black metal frame, protective cage, and cylindrical glass cover.
- Weather-resistant construction withstands rain, snow, and sunlight.
- Rust-resistant finish supports long-lasting outdoor performance.
- Standard E26 socket accommodates enclosed-rated LED, incandescent, and CFL bulbs.
- Ideal for residential, hotel, motel, and property management applications.



OWL-DJJBK-E26



4 Modern Hearth Series

- Classic outdoor wall lantern with a sleek black square frame and clear glass panels.
- Weather-resistant construction withstands rain, snow, and sunlight.
- Rust-resistant finish supports long-lasting outdoor performance.
- Standard E26 socket accommodates enclosed-rated LED, incandescent, and CFL bulbs.
- Ideal for residential, hotel, motel, and property management applications.



OWL-FCBK-E26



5 Contemporary Series

- Contemporary outdoor wall lantern with a clean trapezoidal silhouette and matte black metal frame.
- Clear glass panels provide unobstructed illumination and showcase the bulb.
- Built-in photocell sensor automatically turns the light on at dusk and off at dawn.
- Weather-resistant metal and glass construction withstands rain, snow, and sunlight.



OWL-TBK-E26 &
OWL-TBK-E26DTD



Eco Wall Lanterns



OWL-BC-BK-E26-ECO



OWL-WC-W-E26-ECO



OWL-FH-BK-E26-ECO



OWL-CC-BK-E26-ECO




OWL-GB-BK-E26-ECO



The MaxLite Home Outdoor Wall Lantern Economy Series is a durable, wall-mounted exterior fixture designed for everyday residential lighting applications. Featuring weather-resistant metal and glass construction, these fixtures use a standard E26 socket and are available in a range of classic and modern styles to complement various exterior designs for residential and multi-family spaces.

Features:

- Weather Resistant: Durable metal and glass construction withstands rain, snow, and sun
- Anti-Rust Design: Rust-resistant black metal frame ensures long-lasting outdoor use
- Standard E26 Socket: Compatible with LED, incandescent, and CFL enclosed-rated bulbs
- Easy Installation: Includes all mounting hardware and clear instructions for quick setup



Residential Bulbs



LED Lamps



LED Enclosed Rated Omnidirectional A-Lamp 4PK

MaxLite's LED enclosed rated Omnidirectional A-Line lamp replicate true A19 incandescents. They are suited to a wide variety of residential and commercial applications, including pendants, wall sconces, table and floor lamps.

Features:

- Dimmable down to 10%
- Suitable for damp locations
- Suitable for use in enclosed luminaires
- Applications include pendants, sconces, table and floor lamps

	A19 (E26 BASE)	A19 (E26 BASE)	A19 (E26 BASE)	A19 (E26 BASE)	A19 (E26 BASE)	A19 (E26 BASE)
MODEL NUMBER	E8A19D27/4P/WS2T	E8A19D50/4P/WS2T	E10A19D27/4P/WS2T	E10A19D50/4P/WS2T	E13A19D27/4P/WS2T	E13A19D50/4P/WS2T
ORDER CODE	109543	109711	109712	109713	109714	109715
Input Wattage	8W	8W	10W	10W	13W	13W
Voltage	120V AC, 60Hz					
Equivalency	60W Incandescent		75W Incandescent		100W Incandescent	
Delivered Lumens (lm)	800 lm		1100 lm		1600 lm	
Efficacy (lm/W)	100 lm/W	100 lm/W	110 lm/W	110 lm/W	123 lm/W	123 lm/W
Color Rendering Index (CRI)	≥80					
Color Temperature (CCT)	2700K, 3000K, 4000K, 5000K		2700K, 5000K		2700K, 3000K, 4000K, 5000K	
Distribution	200° - 250°					
Dimming Range	Dimmable. Forward Phase Cut 10-100%					
Input Voltage	120V AC, 60Hz					
Power Factor	≥0.7					
Surge Protection	2.5kV Ringing Wave					
Diffuser	Polycarbonate					
Operating Temperature	-4F to 104F					
Lumen Maintenance (L70)	25,000 hours					
Environment	Suitable for damp locations. Suitable for totally enclosed luminaries					
Listings	cULus listed, FCC, RoHS					

LED Lamps



LED Enclosed Rated Omnidirectional A-Lamp 2T Series

MaxLite's LED enclosed rated Omnidirectional A-Line lamp replicate true A19 incandescents. They are suited to a wide variety of residential and commercial applications, including pendants, wall sconces, table and floor lamps.

Features:

- Dimmable down to 10%.
- Suitable for damp locations
- Suitable for use in enclosed luminaires
- Applications include pendants, sconces, table and floor lamps

MODEL NUMBER	A19 (E26 BASE)	
	E8A19DLED27/G2T	E8A19DLED30/G2T
ORDER CODE	109716	109717
Input Wattage	8W	
Voltage	120V 60Hz	
Delivered Lumens (lm)	800 lm	
Efficacy (lm/W)	100 lm/W	
Color Rendering Index (CRI)	≥80	
Distribution	200° - 250°	
Color Temperature (CCT)	2700K	3000K
Dimming Range	Dimmable. Forward Phase Cut 10-100%	
Input Voltage	120V, 60Hz	
Power Factor	≥0.70	
Replacement	60W Incandescent	
Operating Temperature	-4F to 104F	
Lumen Maintenance (L70)	≥25,000 hours	
Environment	Suitable for damp locations. Suitable for totally enclosed luminaires	
Listings	cULus listed, FCC, RoHS	





LED Lamps



DTD9A19ND27



LED Omnidirectional Dusk To Dawn A-Lamp

This 9W LED bulb delivers 800 lumens of warm 2700K light while replacing a traditional 60W incandescent bulb. A built-in photocell automatically turns the bulb on at night and off in the morning for convenient, energy-saving operation. Designed with a standard E26 base, it features a CRI of ≥ 82 , a 25,000-hour rated life, and is non-dimmable.

Features:

- 9 Watts (60W Equivalent, 800 Lumens)
- Built-in photocell enables bulb to automatically turn on at night and turn off in the morning
- 25,000 hour life (L70 standards)
- Great for outdoor wall lanterns and sconces
- Suitable for use in totally enclosed fixtures
- Suitable for use in damp locations
- Saves more than 84 percent on energy

	A19 (E26 BASE)
MODEL NUMBER	DTD9A19ND27
ORDER CODE	100847
Input Wattage	9W
Input Voltage	120V
Equivalency	60W
Delivered Lumens (lm)	800 lm
Efficacy (lm/W)	89
Color Rendering Index (CRI)	≥ 82
Color Temperature (CCT)	2700K
Dimmable	No
Power Factor	≥ 0.60
Operating Temperature	-4F to 104F
Lumen Maintenance (L70)	25,000 hours
Environment	Dry, Damp, Enclosed
Listings	cULus listed, RoHS

LED Filament Lamps



Blunt Tip - B10

Bent Tip - BA10



LED Enclosed Frosted Filament Lamps 3PK

Energy-saving LED filament lamps reproduce the classic style of incandescent bulbs for hospitality, restaurant, residential and retail applications. Ideal for chandeliers, and other decorative fixtures, the LED filaments are encased in a frosted glass housing that delivers soft light with reduced glare. Available in traditional flame tip or torpedo shapes, the lamps are dimmable to create the perfect ambience, and increase energy savings.

Features:

- Wattage: 3.5W, replaces 40W, 5W replaces 60W
- Torpedo or Flame Tip shapes
- Suitable for wet locations
- Suitable for use in enclosed luminaires

	B10 Blunt Tip (E26 BASE)	BA10 Bent Tip (E12 BASE)	B10 Blunt Tip (E26 BASE)	BA10 Bent Tip (E12 BASE)
MODEL NUMBER	EFF3.5B1027C/3P/WS	EFF3.5BA1027C/3P/WS	EFF5B1027C/3P/WS	EFF5BA1027C/3P/WS
ORDER CODE	103620	103621	103622	103623
Input Wattage	3.5W	3.5W	5W	5W
Voltage	120VAC, 60Hz			
Equivalency	40W	40W	60W	60W
Delivered Lumens (lm)	325 lm	325 lm	525 lm	525 lm
Efficacy (lm/W)	92	92	105	105
Color Rendering Index (CRI)	≥80			
Color Temperature (CCT)	2700K			
Dimming Range	Yes - TRIAC/10-100%			
Input Voltage	120VAC, 60Hz			
Power Factor	≥0.70			
Installation Position	Omnidirectional			
Operating Temperature	-4F to 104F			
Lumen Maintenance (L70)	15,000 hours			
Environment	Wet Location			
Listings	cULus listed			





LED Filament Lamps



EFF4.5G25D27/3P/WS

LED Enclosed Frosted Filament Lamps 3PK

MaxLite's new energy-efficient dimmable clear and frosted LED filament lamps are energy saving decorative lamps designed to reproduce the elegant ambient effect of incandescent lamps for hospitality, restaurant, residential and retail applications.

Features:

- L70: 15,000Hrs
- Voltage: 120V
- Dimmable to 10%
- Available in 2700K & 5000K
- Frequency: 60Hz

G25 Frosted (E26 BASE)	
MODEL NUMBER	EFF4.5G25D27/3P/WS
ORDER CODE	104658
Input Wattage	4.5W
Voltage	120V
Delivered Lumens (lm)	500 lm
Efficacy (lm/W)	111 lm/W
Color Rendering Index (CRI)	≥80
Color Temperature (CCT)	2700K
Dimming Range	Yes - TRIAC/10-100%
Input Voltage	120V, 60Hz
Power Factor	≥0.70
Replacement	60W
Operating Temperature	-4F to 104F
Lumen Maintenance (L70)	≥15,000 hours
Environment	Wet Location
Listings	cETLus listed, RoHS Compliant, FCC, T20, JA8-2022-E

LED Reflector Lamps



8BR30D27/4P/WS
8BR30D50/4P/WS



LED Reflector Lamps BR30 Series

With a full array of Reflector lamps, MaxLite products offer an immediate payback with 8-watt LED replacements for 65-watt incandescent lamps. Available in a standard medium base, the LED lamp is an ideal lighting solution for track lights, display lights and recessed lights. They provide efficient, general lighting suited for architectural, residential, retail, office space and hospitality applications.

Features:

- 120V, 60Hz
- 25,000 hour life (at L70 standards)
- CRI: >80
- Smooth housing with ANSI standard form factor
- Dimming Range: 80% to 10%
- Operating temperature: -4°F to 104°F

MODEL NUMBER	BR30 Series (E26 BASE)	
	8BR30D27/4P/WS	8BR30D50/4P/WS
ORDER CODE	14099724	14099725
Input Wattage	8W	
Voltage	120V 60Hz	
Delivered Lumens (lm)	650 lm	
Efficacy (lm/W)	80	
Color Rendering Index (CRI)	≥80	
Color Temperature (CCT)	2700K	5000K
Dimming Range	80% to 10%	
Input Voltage	120V, 60Hz	
Power Factor	≥0.90	
Replacement	65W	
Operating Temperature	-4F to 104F	
Lumen Maintenance (L70)	≥25,000 hours	
Environment	Damp Location	
Listings	cETLus listed	





LED Reflector Lamps



13P38WD27FLB/2P/WS
13P38WD50FLB/2P/WS

LED PAR38 Series Lamps

MaxLite's lineup has industry leading light output, making it ideal for architectural and wall wash lighting in track, recessed and decorative lighting fixtures in retail, high-end residential and office environments. The LED Lamps produce a strong center beam candle power that provides bright and crisp lighting to showcase artwork and products.

Features:

- 13W PAR38, 1050 lumens, replaces 100W Inc.
- Voltage: 120V
- Frequency: 60Hz
- CRI: ≥ 80
- Instant on (no warm up time)

MODEL NUMBER	PAR38 Series (E26 BASE)	
	13P38WD27FLB/2P/WS	13P38WD50FLB/2P/WS
ORDER CODE	14099726	14099727
Input Wattage	13W	
Voltage	120V 60Hz	
Delivered Lumens (lm)	1050 lm	
Efficacy (lm/W)	80	
Color Rendering Index (CRI)	≥ 80	
Color Temperature (CCT)	2700K	5000K
Dimming Range	80% to 10%	
Input Voltage	120V, 60Hz	
Power Factor	≥ 0.90	
Replacement	100W	
Operating Temperature	-4F to 104F	
Lumen Maintenance (L70)	$\geq 25,000$ hours	
Environment	Dry. Damp. Wet	
Listings	UL Listed, FCC, LM80	



MaxLite®
A NEW WAVE OF LIGHT

342 Changebridge Road
Suite 201,
Pine Brook, NJ 07058
T: 1-800-555-5629
F: 973-244-7333
www.maxlite.com

Item #: MAXLITEHOMECATALOG
Order Code: 115407
Updated: 9/9/2026

