



Photon[®]**Max**[®]
HORTICULTURE LIGHTING

MaxLite[®]

PhotonMAX[®] Horticulture LED Spot Lights (120-277V)



MODEL NUMBER	PH-GH360UBPRF-WCO	PH-GH360UBPRX-WCO	PH-GH360UBXRF-WCO	PH-GH360UFSRF-WCO
ORDER CODE	14100180	14100177	14100178	14100179
Input Wattage	360W	360W	360W	360W
PPF	680.1 (μmol/S)	755.2 (μmol/S)	699.8 (μmol/S)	753.2 (μmol/S)
Voltage	120-277V	120-277V	120-277V	120-277V
Spectrum	Broad Par with Heavy 660nm and Far Red 730nm	Broad Par with Heavy 660nm	Blue 450nm with Heavy Red 660nm and Far Red 730nm	Full Spectrum with Heavy Red 660nm and Far Red 730nm
Photon Flux Maintenance (Q90)	>54,000 hours	>54,000 hours	>54,000 hours	>54,000 hours
CERTIFICATIONS	Horticultural DLC, UL listed, IP66	Horticultural DLC, UL listed, IP66	Horticultural DLC, UL listed, IP66	Horticultural DLC, UL listed, IP66



MODEL NUMBER	PH-GH600UBPRF-WCO	PH-GH600UBPRX-WCO	PH-GH600UBXRF-WCO	PH-GH600UFSRF-WCO
ORDER CODE	14100171	14100169	14100167	14100168
Input Wattage	600W	600W	600W	600W
PPF	1,088.5 (μmol/S)	1,143.7 (μmol/S)	1,234.7 (μmol/S)	1,224.2 (μmol/S)
Voltage	120-277V	120-277V	120-277V	120-277V
Spectrum	Broad Par with Heavy 660nm and Far Red 730nm	Broad Par with Heavy 660nm	Blue 450nm with Heavy Red 660nm and Far Red 730nm	Full Spectrum with Heavy Red 660nm and Far Red 730nm
Photon Flux Maintenance (Q90)	>54,000 hours	>54,000 hours	>54,000 hours	>54,000 hours
CERTIFICATIONS	Horticultural DLC, UL listed, IP66	Horticultural DLC, UL listed, IP66	Horticultural DLC, UL listed, IP66	Horticultural DLC, UL listed, IP66

PhotonMAX[®] Horticulture LED Spot Lights (347-480V)



MODEL NUMBER	PH-GH360UBPRF-WCO	PH-GH360UBPRX-WCO	PH-GH360UBXRF-WCO	PH-GH360UFSRF-WCO
ORDER CODE	14100180	14100177	14100178	14100179
Input Wattage	360W	360W	360W	360W
PPF	680.1 (μmol/S)	755.2 (μmol/S)	699.8 (μmol/S)	753.2 (μmol/S)
Voltage	120-277V	120-277V	120-277V	120-277V
Spectrum	Broad Par with Heavy 660nm and Far Red 730nm	Broad Par with Heavy 660nm	Blue 450nm with Heavy Red 660nm and Far Red 730nm	Full Spectrum with Heavy Red 660nm and Far Red 730nm
Photon Flux Maintenance (Q90)	>54,000 hours	>54,000 hours	>54,000 hours	>54,000 hours
CERTIFICATIONS	Horticultural DLC, UL listed, IP66	Horticultural DLC, UL listed, IP66	Horticultural DLC, UL listed, IP66	Horticultural DLC, UL listed, IP66



MODEL NUMBER	PH-GH600UBPRF-WCO	PH-GH600UBPRX-WCO	PH-GH600UBXRF-WCO	PH-GH600UFSRF-WCO
ORDER CODE	14100171	14100169	14100167	14100168
Input Wattage	600W	600W	600W	600W
PPF	1,088.5 (μmol/S)	1,143.7 (μmol/S)	1,234.7 (μmol/S)	1,224.2 (μmol/S)
Voltage	120-277V	120-277V	120-277V	120-277V
Spectrum	Broad Par with Heavy 660nm and Far Red 730nm	Broad Par with Heavy 660nm	Blue 450nm with Heavy Red 660nm and Far Red 730nm	Full Spectrum with Heavy Red 660nm and Far Red 730nm
Photon Flux Maintenance (Q90)	>54,000 hours	>54,000 hours	>54,000 hours	>54,000 hours
CERTIFICATIONS	Horticultural DLC, UL listed, IP66	Horticultural DLC, UL listed, IP66	Horticultural DLC, UL listed, IP66	Horticultural DLC, UL listed, IP66

PhotonMAX® Horticulture Ceramic Metal Halide Single Lamp Fixtures



MODEL NUMBER	PH-MHF630130	PH-MHF630230
ORDER CODE	1409956	14099004
Voltage	120-240V	220-277V
CCT	3000K	3000K
CRI	90	90
Lamp Included	Yes	Yes
CERTIFICATIONS	ETL Listed	ETL Listed

PhotonMAX® Horticulture Ceramic Metal Halide Two Lamp Fixtures



MODEL NUMBER	PH-MHF315130	PH-MHF315230
ORDER CODE	107827	14099003
Voltage	120-240V	220-277V
CCT	3000K	3000K
CRI	90	90
Lamp Included	Yes	Yes
CERTIFICATIONS	ETL Listed	ETL Listed

PhotonMAX® Horticulture Doubled-Ended High Pressure Sodium Fixtures



MODEL NUMBER	PH-1000HPS-F-DE	PH-1000HPS2-F-DE	PH-1000HPS3-F-DE
ORDER CODE	1409955	14099005	14099631
Voltage	120-240V	220-277V	347V
CCT	2100K	2100K	2100K
Lamp Included	Yes	Yes	Yes
CERTIFICATIONS	ETL Listed	ETL Listed	ETL Listed

PhotonMAX® Horticulture LED T8 Linear Lamp



MODEL NUMBER	L18T8SE415
ORDER CODE	102185
Voltage	120-277V
PPF	25 µmol/s
CERTIFICATIONS	UL Classified, Damp Rated

PhotonMAX® Horticulture Ceramic Metal Halide Lamp



MODEL NUMBER	PH-MHL315130
ORDER CODE	107826
Lamp Base	PGZ18
PPF	480 µmol/s
CCT	3000K
CRI	90

PhotonMAX® Horticulture Doubled-Ended High Pressure Sodium Lamp



MODEL NUMBER	PH-1000HPS-L-DE
ORDER CODE	1410139
Lamp Base	K12X30S
PPF	≥1900 µmol/s
CCT	2100K