

# TAA Compliant LED Luminaires

The following MaxLite LED products are manufactured in **SOUTH KOREA**, a designated country under the Trade Agreements Act (TAA).

## Outdoor Fixtures

Item No	Order Code	Description
<b>STAXMAX HIGH OUTPUT FLOOD LIGHT</b>		
ELLF1354N50	72619	STAXMAX HIGH OUTPUT FLOOD 135W 480V NARROW 22 DEG 5000K
ELLF1354W50	72817	STAXMAX HIGH OUTPUT FLOOD 135W 480V WIDE 120 DEG 5000K
ELLF135DW50	95152	STAXMAX HIGH OUTPUT FLOOD 135W UNIV 120-277V WIDE 120DEG 5000K
ELLF135UM50	71929	STAXMAX HIGH OUTPUT FLOOD 135W UNIV 120-277V MEDIUM 55DEG 5000K
ELLF1804N50H	1409915	STAXMAX HIGH OUTPUT FLOOD -180W, 347-480V, 5000K, NARROW, GRAY, W/HBMB
ELLF180DM50H	75217	STAXMAX HIGH OUTPUT FLOOD -178W, 120-277V, 0-10V DIM, 5700K, MEDIUM 58DEG, GRAY, W/HBMB
ELLF180DM50HE	107694	STAXMAX HIGH OUTPUT FLOOD -178W, 120-277V, 0-10V DIM, 5000K, MEDIUM, GRAY, W/HBMB, ADJ PC (APS) RECEPTACLE, 3FT - 14 AWG WHIP - 3 CONDUCTOR BWG
ELLF180DN50H	74539	STAXMAX HIGH OUTPUT FLOOD -178W, 120-277V, 0-10V DIM, 5700K, NARROW 18DEG, GRAY, W/HBMB
ELLF180DW50H	74542	STAXMAX HIGH OUTPUT FLOOD -181W, 120-277V, 0-10V DIM, 5700K, WIDE 111DEG, GRAY, W/HBMB
ELLF180DW50HE	75213	STAXMAX HIGH OUTPUT FLOOD -181W, 120-277V, 0-10V DIM, 5700K, WIDE 111DEG, GRAY, W/HBMB, ADJ PC (APS) RECEPTACLE, 3FT - 14 AWG WHIP - 3 CONDUCTOR BWG
ELLF2704M50B	74511	STAXMAX HIGH OUTPUT FLOOD - 270W, 347-480V, MEDIUM 55DEG, 5000K, BRONZE, ARCH YOKE
ELLF2704W50	72948	STAXMAX HIGH OUTPUT FLOOD 270W 480V WIDE 120DEG 5000K
ELLF2704W50H	73051	STAXMAX HIGH OUTPUT FLOOD - 270W, 347-480V, 120DEG, 5000K, GRAY, W?HBMB
ELLF270UW50	71933	STAXMAX HIGH OUTPUT FLOOD 270W UNIV 120-277V WIDE 120DEG 5000K
ELLF270UW50H	72958	STAXMAX HIGH OUTPUT FLOOD 270W UNIV 120-277V WIDE 120 DEG 5000K HBMB
ELLF3604W50	107171	STAXMAX HIGH OUTPUT FLOOD -356W, 347-480V, 5000K, WIDE, GRAY, ARCH YOKE
ELLF3604W50H	107686	STAXMAX HIGH OUTPUT FLOOD -356W, 347-480V, 5000K, WIDE, GRAY, W/HBMB
ELLF3604W50HE	107687	STAXMAX HIGH OUTPUT FLOOD -356W, 347-480V, 5000K, WIDE, GRAY, W/HBMB, ADJ PC (APS) RECEPTACLE, 3FT - 14 AWG WHIP - 3 CONDUCTOR BWG
ELLF360DM50H	75229	STAXMAX HIGH OUTPUT FLOOD -356W, 120-277V, 0-10V DIM, 5700K, MEDIUM 58DEG, GRAY, W/HBMB
ELLF360DW50H	75221	STAXMAX HIGH OUTPUT FLOOD -362W, 120-277V, 0-10V DIM, 5700K, WIDE 111DEG, GRAY, W/HBMB
ELLF360DW50HE	107697	STAXMAX HIGH OUTPUT FLOOD -356W, 120-277V, 0-10V DIM, 5000K, WIDE, GRAY, W/HBMB, ADJ PC (APS) RECEPTACLE, 3FT - 14 AWG WHIP - 3 CONDUCTOR BWG
ELLF360UDN50H	73853	STAXMAX HIGH OUTPUT FLOOD 360W UNIV 120-277V 0-10V DIMMING NARROW 22 DEG 5000K, MOTION/DAYLIGHT SENSOR
ELLF4054M50	72816	STAXMAX HIGH OUTPUT FLOOD 405W 480V MEDIUM 55 DEG 5000K
ELLF4054W50E	74935	STAXMAX HIGH OUTPUT FLOOD - 405W, 347-480V, WIDE 120DEG, 5000K, GRAY, ADJ PC (APS) RECEPTACLE, 3FT - 14 AWG WHIP - 3 CONDUCTOR BWG
ELLF4054W50H	73416	STAXMAX HIGH OUTPUT FLOOD 405W 480V WIDE 120 DEG BEAM MODULES 5000K WITH HBMB
ELLF405UC50	72604	STAXMAX HIGH OUTPUT FLOOD 405W UNIV 120-277V CUSTOM MODULES 5000K
ELLF405UM50	71935	STAXMAX HIGH OUTPUT FLOOD 405W UNIV 120-277V MEDIUM 55DEG 5000K
ELLF405UN50	71934	STAXMAX HIGH OUTPUT FLOOD 405W UNIV 120-277V NARROW 22DEG 5000K
ELLF405UW50H	73119	STAXMAX HIGH OUTPUT FLOOD 405W UNIV 120-277V WIDE 120 DEG BEAM MODULES 5000K WITH HBMB
ELLF5404M50	107175	STAXMAX HIGH OUTPUT FLOOD -561W, 347-480V, 5000K, MEDIUM, GRAY, ARCH YOKE
ELLF5404W50	107177	STAXMAX HIGH OUTPUT FLOOD -561W, 347-480V, 5000K, WIDE, GRAY, ARCH YOKE
ELLF5404W50H	107692	STAXMAX HIGH OUTPUT FLOOD -561W, 347-480V, 5000K, WIDE, GRAY, W/HBMB,
ELLF540DW50H	75237	STAXMAX HIGH OUTPUT FLOOD -543W, 120-277V, 0-10V DIM, 5700K, WIDE 111DEG, GRAY, W/HBMB
<b>MODMAX HIGH OUTPUT MODULAR FLOOD LIGHT</b>		
MM210HW50FDG	107331	MODMAX HIGH OUTPUT FLOOD - 210W, 347-480V, WIDE DIST, 5000K, ARCH YOKE, GRAY
MM210UN50FDG	101543	MODMAX HIGH OUTPUT FLOOD - 210W, 120-277V, NARROW DIST, 5000K, ARCH YOKE, GRAY
MM210UW50FDG	101407	MODMAX HIGH OUTPUT FLOOD - 210W, 120-277V, WIDE DIST, 5000K, ARCH YOKE, GRAY

# TAA Compliant LED Luminaires

The following MaxLite LED products are manufactured in **SOUTH KOREA**, a designated country under the Trade Agreements Act (TAA).

## Outdoor Fixtures (CONTINUED)

Item No	Order Code	Description
<b>MODMAX HIGH OUTPUT MODULAR FLOOD LIGHT (CONTINUED)</b>		
MM210UW50HDG	101547	MODMAX HIGH OUTPUT FLOOD - 210W, 120-277V, WIDE DIST, 5000K, HIGHBAY, GRAY
MM420HWW50FDG	107332	MODMAX HIGH OUTPUT FLOOD - 420W, 347-480V, WIDE DIST, 5000K, ARCH YOKE, GRAY
MM420HWW50PDG	1409977	MODMAX HIGH OUTPUT FLOOD - 420W, 347-480V, WIDE DIST, 5000K, POLE MOUNT (2-3/8" TENNON), GRAY
MM420UMM50FDG	101556	MODMAX HIGH OUTPUT FLOOD - 420W, 120-277V, MEDIUM-MEDIUM DIST, 5000K, ARCH YOKE, GRAY
MM420UNM50FDG	107188	MODMAX HIGH OUTPUT FLOOD - 420W, 120-277V, NARROW-MEDIUM DIST, 5000K, ARCH YOKE, GRAY
MM420UNN50FDG	101548	MODMAX HIGH OUTPUT FLOOD - 420W, 120-277V, NARROW-NARROW DIST, 5000K, ARCH YOKE, GRAY
MM420UNN50HDG	101549	MODMAX HIGH OUTPUT FLOOD - 420W, 120-277V, NARROW-NARROW DIST, 5000K, HIGHBAY, GRAY
MM420UWW50FDG	101408	MODMAX HIGH OUTPUT FLOOD - 420W, 120-277V, WIDE-WIDE DIST, 5000K, ARCH YOKE, GRAY
MM420UWW50HDG	101564	MODMAX HIGH OUTPUT FLOOD - 420W, 120-277V, WIDE-WIDE DIST, 5000K, HIGHBAY, GRAY
MM420UWW50PDG	107360	MODMAX HIGH OUTPUT FLOOD - 420W, 120-277V, WIDE-WIDE DIST, 5000K, POLE MOUNT, GRAY
MM630HNN50PDG	1408221	MODMAX HIGH OUTPUT FLOOD - 630W, 347-480V, NARROW-NARROW DIST, 5000K, ARCH YOKE, GRAY
MM630HWW50FDG	107333	MODMAX HIGH OUTPUT FLOOD - 630W, 347-480V, WIDE DIST, 5000K, ARCH YOKE, GRAY
MM630UNN50FDG	101565	MODMAX HIGH OUTPUT FLOOD - 630W, 120-277V, NARROW-NARROW DIST, 5000K, ARCH YOKE, GRAY
MM630UWW50FDG	101409	MODMAX HIGH OUTPUT FLOOD - 630W, 120-277V, WIDE-WIDE DIST, 5000K, ARCH YOKE, GRAY
MM630UWW50PDG	107362	MODMAX HIGH OUTPUT FLOOD - 630W, 120-277V, WIDE-WIDE DIST, 5000K, POLE MOUNT, GRAY
<b>MPULSE AREA LIGHT</b>		
MP-AR100HT3-50BMS	14099133	MPULSE AREA LIGHT: 100W, 347-480V, TYPE III, 5000K, BRONZE, 10KV SS, PHOTO/MOTION SENSOR
MP-AR100HT5-40B	14099143	MPULSE AREA LIGHT: 100W, 347-480V, TYPE V, 4000K, BRONZE, 10KV SS
MP-AR100HT5-50B	14099128	MPULSE AREA LIGHT: 100W, 347-480V, TYPE V, 5000K, BRONZE, 10KV SS
MP-AR100UT2-40B	100661	MPULSE AREA LIGHT: 100W, 120-277V, TYPE II, 4000K, BRONZE, 10KV SS
MP-AR100UT3-40B	1409991	MPULSE AREA LIGHT: 100W, 120-277V, TYPE III, 4000K, BRONZE, 10KV SS
MP-AR100UT3-50B	1409997	MPULSE AREA LIGHT: 100W, 120-277V, TYPE III, 5000K, BRONZE, 10KV SS
MP-AR100UT3-50BMS	14099118	MPULSE AREA LIGHT: 100W, 120-277V, TYPE III, 5000K, BRONZE, 10KV SS, PHOTO/MOTION SENSOR
MP-AR100UT4-40B	100837	MPULSE AREA LIGHT: 100W, 120-277V, TYPE IV, 4000K, BRONZE, 10KV SS
MP-AR100UT4-50B	14099113	MPULSE AREA LIGHT: 100W, 120-277V, TYPE IV, 5000K, BRONZE, 10KV SS
MP-AR100UT5-22B	100719	MPULSE AREA LIGHT: 100W, 120-277V, TYPE V, 2200K, BRONZE, 10KV SS
MP-AR100UT5-40B	1409992	MPULSE AREA LIGHT: 100W, 120-277V, TYPE V, 4000K, BRONZE, 10KV SS
MP-AR100UT5-40S	1410001	MPULSE AREA LIGHT: 100W, 120-277V, TYPE V, 4000K, SILVER, 10KV SS
MP-AR100UT5-50B	1409998	MPULSE AREA LIGHT: 100W, 120-277V, TYPE V, 5000K, BRONZE, 10KV SS
MP-AR100UT5-50S	1410002	MPULSE AREA LIGHT: 100W, 120-277V, TYPE V, 5000K, SILVER, 10KV SS
MP-AR150UT3-50B	14098824	MPULSE AREA LIGHT: 150W, 120-277V, TYPE III, 5000K, BRONZE, 10KV SS
MP-AR150UT4-50B	14099114	MPULSE AREA LIGHT: 150W, 120-277V, TYPE IV, 5000K, BRONZE, 10KV SS
MP-AR150UT5-50B	100758	MPULSE AREA LIGHT: 150W, 120-277V, TYPE V, 5000K, BRONZE, 10KV SS
MP-AR200HT3-50B	100678	MPULSE AREA LIGHT: 200W, 347-480V, TYPE III, 5000K, BRONZE, 10KV SS
MP-AR200UT3-40B	1409993	MPULSE AREA LIGHT: 200W, 120-277V, TYPE III, 4000K, BRONZE, 10KV SS
MP-AR200UT3-50B	1409999	MPULSE AREA LIGHT: 200W, 120-277V, TYPE III, 5000K, BRONZE, 10KV SS
MP-AR200UT4-50B	14099115	MPULSE AREA LIGHT: 200W, 120-277V, TYPE IV, 5000K, BRONZE, 10KV SS
MP-AR200UT5-40B	1409994	MPULSE AREA LIGHT: 200W, 120-277V, TYPE V, 4000K, BRONZE, 10KV SS
MP-AR200UT5-40S	1410003	MPULSE AREA LIGHT: 200W, 120-277V, TYPE V, 4000K, SILVER, 10KV SS

# TAA Compliant LED Luminaires

The following MaxLite LED products are manufactured in **SOUTH KOREA**, a designated country under the Trade Agreements Act (TAA).

## Outdoor Fixtures (CONTINUED)

Item No	Order Code	Description
<b>MPULSE AREA LIGHT (CONTINUED)</b>		
MP-AR200UT5-50B	1410000	MPULSE AREA LIGHT: 200W, 120-277V, TYPE V, 5000K, BRONZE, 10KV SS
MP-AR200UT5-50S	1410004	MPULSE AREA LIGHT: 200W, 120-277V, TYPE V, 5000K, SILVER, 10KV SS
MP-AR250UT3-50B	14098825	MPULSE AREA LIGHT: 250W, 120-277V, TYPE III, 5000K, BRONZE, 10KV SS
MP-AR250UT4-50B	14099116	MPULSE AREA LIGHT: 250W, 120-277V, TYPE IV, 5000K, BRONZE, 10KV SS
MP-AR300UT3-40B	1409989	MPULSE AREA LIGHT: 300W, 120-277V, TYPE III, 4000K, BRONZE, 10KV SS
MP-AR300UT3-50B	1409995	MPULSE AREA LIGHT: 300W, 120-277V, TYPE III, 5000K, BRONZE, 10KV SS
MP-AR300UT4-50B	14099117	MPULSE AREA LIGHT: 300W, 120-277V, TYPE IV, 5000K, BRONZE, 10KV SS
MP-AR300UT5-40B	1409990	MPULSE AREA LIGHT: 300W, 120-277V, TYPE V, 4000K, BRONZE, 10KV SS
MP-AR300UT5-40S	1410005	MPULSE AREA LIGHT: 300W, 120-277V, TYPE V, 4000K, SILVER, 10KV SS
MP-AR300UT5-50B	1409996	MPULSE AREA LIGHT: 300W, 120-277V, TYPE V, 5000K, BRONZE, 10KV SS
MP-AR300UT5-50S	1410006	MPULSE AREA LIGHT: 300W, 120-277V, TYPE V, 5000K, SILVER, 10KV SS
<b>MPULSE CANOPY</b>		
MP-CP28UA-40B	14099256	MPULSE CANOPY - 28W, 120-277V, ASYMMETRIC DISTRIBUTION, 4000K, BRONZE
MP-CP28UA-40S	14099257	MPULSE CANOPY - 28W, 120-277V, ASYMMETRIC DISTRIBUTION, 4000K, SILVER
MP-CP28UA-50B	14099258	MPULSE CANOPY - 28W, 120-277V, ASYMMETRIC DISTRIBUTION, 5000K, BRONZE
MP-CP28UA-50S	14099259	MPULSE CANOPY - 28W, 120-277V, ASYMMETRIC DISTRIBUTION, 5000K, SILVER
MP-CP28UC-40B	100542	MPULSE CANOPY - 28W, 120-277V, CANOPY DISTRIBUTION, 4000K, BRONZE
MP-CP28UC-40BPC	100698	MPULSE CANOPY - 28W, 120-277V, CANOPY DISTRIBUTION, 4000K, BRONZE, 120-277V BUTTON PHOTOCELL
MP-CP28UC-40S	100544	MPULSE CANOPY - 28W, 120-277V, CANOPY DISTRIBUTION, 4000K, SILVER
MP-CP28UC-50B	100546	MPULSE CANOPY - 28W, 120-277V, CANOPY DISTRIBUTION, 5000K, BRONZE
MP-CP28UC-50S	100547	MPULSE CANOPY - 28W, 120-277V, CANOPY DISTRIBUTION, 5000K, SILVER
MP-CP28UP-40B	100543	MPULSE CANOPY - 28W, 120-277V, PARKING DISTRIBUTION, 4000K, BRONZE
MP-CP28UP-40S	100545	MPULSE CANOPY - 28W, 120-277V, PARKING DISTRIBUTION, 4000K, SILVER
MP-CP28UP-50B	100548	MPULSE CANOPY - 28W, 120-277V, PARKING DISTRIBUTION, 5000K, BRONZE
MP-CP28UP-50S	100549	MPULSE CANOPY - 28W, 120-277V, PARKING DISTRIBUTION, 5000K, SILVER
MP-CP55UA-40B	14099260	MPULSE CANOPY - 55W, 120-277V, ASYMMETRIC DISTRIBUTION, 4000K, BRONZE
MP-CP55UA-40S	14099261	MPULSE CANOPY - 55W, 120-277V, ASYMMETRIC DISTRIBUTION, 4000K, SILVER
MP-CP55UA-50B	14099262	MPULSE CANOPY - 55W, 120-277V, ASYMMETRIC DISTRIBUTION, 5000K, BRONZE
MP-CP55UA-50S	14099263	MPULSE CANOPY - 55W, 120-277V, ASYMMETRIC DISTRIBUTION, 5000K, SILVER
MP-CP55UC-40B	14098921	MPULSE CANOPY - 55W, 120-277V, CANOPY DISTRIBUTION, 4000K, BRONZE
MP-CP55UC-40S	14098922	MPULSE CANOPY - 55W, 120-277V, CANOPY DISTRIBUTION, 4000K, SILVER
MP-CP55UC-50B	14098923	MPULSE CANOPY - 55W, 120-277V, CANOPY DISTRIBUTION, 5000K, BRONZE
MP-CP55UC-50S	14098924	MPULSE CANOPY - 55W, 120-277V, CANOPY DISTRIBUTION, 5000K, SILVER
MP-CP55UP-40B	14098925	MPULSE CANOPY - 55W, 120-277V, PARKING DISTRIBUTION, 4000K, BRONZE
MP-CP55UP-40S	14098926	MPULSE CANOPY - 55W, 120-277V, PARKING DISTRIBUTION, 4000K, SILVER
MP-CP55UP-50B	14098927	MPULSE CANOPY - 55W, 120-277V, PARKING DISTRIBUTION, 5000K, BRONZE
MP-CP55UP-50BMS	100799	MPULSE CANOPY - 55W, 120-277V, PARKING DISTRIBUTION, 5000K, BRONZE, PHOTO/MOTION SENSOR
MP-CP55UP-50S	14098928	MPULSE CANOPY - 55W, 120-277V, PARKING DISTRIBUTION, 5000K, SILVER

# TAA Compliant LED Luminaires

The following MaxLite LED products are manufactured in **SOUTH KOREA**, a designated country under the Trade Agreements Act (TAA).

## Outdoor Fixtures (CONTINUED)

Item No	Order Code	Description
<b>MPULSE WALL MOUNT</b>		
MP-SM100UT3-40B	100055	MPULSE WALL MOUNT: 100W, 120-277V, TYPE III, 4000K, BRONZE
MP-SM100UT3-50B	1409481	MPULSE WALL MOUNT: 100W, 120-277V, TYPE III, 5000K, BRONZE
MP-SM100UT4-40B	1408982	MPULSE WALL MOUNT: 100W, 120-277V, TYPE IV, 4000K, BRONZE
MP-SM100UT4-50B	1408979	MPULSE WALL MOUNT: 100W, 120-277V, TYPE IV, 5000K, BRONZE
MP-SM100UT4-50BPC	100652	MPULSE WALL MOUNT: 100W, 120-277V, TYPE IV, 5000K, BRONZE, 120-277V PHOTOCELL
MP-SM28UT3-40B	100521	MPULSE WALL MOUNT: 28W, 120-277V, TYPE III, 4000K, BRONZE
MP-SM28UT3-50B	1409472	MPULSE WALL MOUNT: 28W, 120-277V, TYPE III, 5000K, BRONZE
MP-SM28UT4-40B	1409475	MPULSE WALL MOUNT: 28W, 120-277V, TYPE IV, 4000K, BRONZE
MP-SM28UT4-40S	1409987	MPULSE WALL MOUNT: 55W, 120-277V, TYPE IV, 4000K, SILVER
MP-SM28UT4-50B	1409471	MPULSE WALL MOUNT: 28W, 120-277V, TYPE IV, 5000K, BRONZE
MP-SM28UT4-50BPC	100641	MPULSE WALL MOUNT: 28W, 120-277V, TYPE IV, 5000K, BRONZE, BUTTON PHOTOCELL
MP-SM28UT4-50S	1409935	MPULSE WALL MOUNT: 28W, 120-277V, TYPE IV, 5000K, SILVER
MP-SM55UT3-40B	100522	MPULSE WALL MOUNT: 55W, 120-277V, TYPE III, 4000K, BRONZE
MP-SM55UT3-50B	1409474	MPULSE WALL MOUNT: 55W, 120-277V, TYPE III, 5000K, BRONZE
MP-SM55UT3-50BPC	100064	MPULSE WALL MOUNT: 55W, 120-277V, TYPE III, 5000K, BRONZE, BUTTON PHOTOCELL
MP-SM55UT4-40B	1409476	MPULSE WALL MOUNT: 55W, 120-277V, TYPE IV, 4000K, BRONZE
MP-SM55UT4-40BPC	100757	MPULSE WALL MOUNT: 55W, 120-277V, TYPE IV, 4000K, BRONZE, 120-277V PHOTOCELL
MP-SM55UT4-40S	1409988	MPULSE WALL MOUNT: 28W, 120-277V, TYPE IV, 4000K, SILVER
MP-SM55UT4-50B	1409473	MPULSE WALL MOUNT: 55W, 120-277V, TYPE IV, 5000K, BRONZE
MP-SM55UT4-50S	1409936	MPULSE WALL MOUNT: 55W, 120-277V, TYPE IV, 5000K, SILVER
<b>QUADROMAX PLUS</b>		
QMP-100HT2-50B	1408852	QUADROMAX PLUS, 100W, 347-480V, TYPE II, 5000K, BRONZE
QMP-100HT3-50B	1408854	QUADROMAX PLUS, 100W, 347-480V, TYPE III, 5000K, BRONZE
QMP-100HT4-50B	1408856	QUADROMAX PLUS, 100W, 347-480V, TYPE IV, 5000K, BRONZE
QMP-100HT5-50B	1408858	QUADROMAX PLUS, 100W, 347-480V, TYPE V, 5000K, BRONZE
QMP-100HT5-50BMS	100774	QUADROMAX PLUS, 100W, 347-480V, TYPE V, 5000K, BRONZE, DAYLIGHT/MOTION SENSOR
QMP-100UT2-50B	1408851	QUADROMAX PLUS, 100W, 120-277V, TYPE II, 5000K, BRONZE
QMP-100UT3-50B	1408853	QUADROMAX PLUS, 100W, 120-277V, TYPE III, 5000K, BRONZE
QMP-100UT3-50BRPC	14098812	QUADROMAX PLUS, 100W, 120-277V, TYPE III, 5000K, BRONZE, NEMA 3-PIN PHOTOCELL RECEPTACLE
QMP-100UT3-50W	100494	QUADROMAX PLUS, 100W, 120-277V, TYPE III, 5000K, WHITE
QMP-100UT4-50B	1408855	QUADROMAX PLUS, 100W, 120-277V, TYPE IV, 5000K, BRONZE
QMP-100UT4-50BRPC	1410157	QUADROMAX PLUS, 100W, 120-277V, TYPE IV, 5000K, BRONZE, NEMA 3-PIN PHOTOCELL RECEPTACLE
QMP-100UT5-50B	1408857	QUADROMAX PLUS, 100W, 120-277V, TYPE V, 5000K, BRONZE
QMP-100UT5-50BMS	1410144	QUADROMAX PLUS, 100W, 120-277V, TYPE V, 5000K, BRONZE, DAYLIGHT/MOTION SENSOR
QMP-100UT5-50BPR7	100831	QUADROMAX PLUS, 100W, 120-277V, TYPE V, 5000K, BRONZE, NEMA 7-PIN RECEPTACLE
QMP-100UT5-50BRPC	1410164	QUADROMAX PLUS, 100W, 120-277V, TYPE V, 5000K, BRONZE, NEMA 3-PIN PHOTOCONTROL RECEPTACLE
QMP-150HT2-50B	1408860	QUADROMAX PLUS, 150W, 347-480V, TYPE II, 5000K, BRONZE
QMP-150HT3-50B	1408862	QUADROMAX PLUS, 150W, 347-480V, TYPE III, 5000K, BRONZE
QMP-150HT4-50B	1408864	QUADROMAX PLUS, 150W, 347-480V, TYPE IV, 5000K, BRONZE

# TAA Compliant LED Luminaires

The following MaxLite LED products are manufactured in **SOUTH KOREA**, a designated country under the Trade Agreements Act (TAA).

## Outdoor Fixtures (CONTINUED)

Item No	Order Code	Description
<b>QUADROMAX PLUS (CONTINUED)</b>		
QMP-150HT5-50B	1408865	QUADROMAX PLUS, 150W, 347-480V, TYPE V, 5000K, BRONZE
QMP-150UT2-50B	1408859	QUADROMAX PLUS, 150W, 120-277V, TYPE II, 5000K, BRONZE
QMP-150UT3-50B	1408861	QUADROMAX PLUS, 150W, 120-277V, TYPE III, 5000K, BRONZE
QMP-150UT3-50BRPC	100601	QUADROMAX PLUS, 150W, 120-277V, TYPE III, 5000K, BRONZE, 3-PIN PHOTOCONTROL RECEPTACLE
QMP-150UT4-50B	1408863	QUADROMAX PLUS, 150W, 120-277V, TYPE IV, 5000K, BRONZE
QMP-150UT4-50BMS	100613	QUADROMAX PLUS, 150W, 120-277V, TYPE IV, 5000K, BRONZE, PHOTO/MOTION SENSOR
QMP-150UT4-50BRPC	100844	QUADROMAX PLUS, 150W, 120-277V, TYPE IV, 5000K, BRONZE, NEMA 3-PIN PHOTOCONTROL RECEPTACLE
QMP-150UT5-50B	1408817	QUADROMAX PLUS, 150W, 120-277V, TYPE V, 5000K, BRONZE
QMP-150UT5-50BMS	100773	QUADROMAX PLUS, 150W, 120-277V, TYPE V, 5000K, BRONZE, PHOTO/MOTION SENSOR
QMP-150UT5-50BRPC	1410158	QUADROMAX PLUS, 150W, 120-277V, TYPE V, 5000K, BRONZE, NEMA 3-PIN PHOTOCCELL RECEPTACLE
QMP-150UT5-50L	1410235	QUADROMAX PLUS, 150W, 120-277V, TYPE V, 5000K, BLACK
QMP-200HT2-50B	1408867	QUADROMAX PLUS, 200W, 347-480V, TYPE II, 5000K, BRONZE
QMP-200HT3-50B	1408869	QUADROMAX PLUS, 200W, 347-480V, TYPE III, 5000K, BRONZE
QMP-200HT4-50B	1408871	QUADROMAX PLUS, 200W, 347-480V, TYPE IV, 5000K, BRONZE
QMP-200HT5-50B	1408873	QUADROMAX PLUS, 200W, 347-480V, TYPE V, 5000K, BRONZE
QMP-200UT2-50B	1408866	QUADROMAX PLUS, 200W, 120-277V, TYPE II, 5000K, BRONZE
QMP-200UT3-50B	1408868	QUADROMAX PLUS, 200W, 120-277V, TYPE III, 5000K, BRONZE
QMP-200UT4-50B	1408870	QUADROMAX PLUS, 200W, 120-277V, TYPE IV, 5000K, BRONZE
QMP-200UT5-50B	1408872	QUADROMAX PLUS, 200W, 120-277V, TYPE V, 5000K, BRONZE
QMP-200UT5-50BRPC	100693	QUADROMAX PLUS, 200W, 120-277V, TYPE V, 5000K, BRONZE, 3-PIN PHOTOCONTROL RECEPTACLE
QMP-250HT2-50B	1408828	QUADROMAX PLUS, 250W, 347-480V, TYPE II, 5000K, BRONZE
QMP-250HT3-50B	1408830	QUADROMAX PLUS, 250W, 347-480V, TYPE III, 5000K, BRONZE
QMP-250HT4-50B	1408832	QUADROMAX PLUS, 250W, 347-480V, TYPE IV, 5000K, BRONZE
QMP-250HT5-50B	1408834	QUADROMAX PLUS, 250W, 347-480V, TYPE V, 5000K, BRONZE
QMP-250UT2-50B	1408827	QUADROMAX PLUS, 250W, 120-277V, TYPE II, 5000K, BRONZE
QMP-250UT3-50B	1408829	QUADROMAX PLUS, 250W, 120-277V, TYPE III, 5000K, BRONZE
QMP-250UT4-50B	1408831	QUADROMAX PLUS, 250W, 120-277V, TYPE IV, 5000K, BRONZE
QMP-250UT5-50B	1408833	QUADROMAX PLUS, 250W, 120-277V, TYPE V, 5000K, BRONZE
QMP-300HT2-50B	1408836	QUADROMAX PLUS, 300W, 347-480V, TYPE II, 5000K, BRONZE
QMP-300HT3-50B	1408838	QUADROMAX PLUS, 300W, 347-480V, TYPE III, 5000K, BRONZE
QMP-300HT4-50B	1408840	QUADROMAX PLUS, 300W, 347-480V, TYPE IV, 5000K, BRONZE
QMP-300HT5-50B	1408842	QUADROMAX PLUS, 300W, 347-480V, TYPE V, 5000K, BRONZE
QMP-300HT5-50BPR7	100832	QUADROMAX PLUS, 300W, 347-480V, TYPE V, 5000K, BRONZE, NEMA 7-PIN RECEPTACLE
QMP-300UT2-50B	1408835	QUADROMAX PLUS, 300W, 120-277V, TYPE II, 5000K, BRONZE
QMP-300UT3-50B	1408837	QUADROMAX PLUS, 300W, 120-277V, TYPE III, 5000K, BRONZE
QMP-300UT3-50BMS	100440	QUADROMAX PLUS, 300W, 120-277V, TYPE III, 5000K, BRONZE, DAYLIGHT/MOTION SENSOR
QMP-300UT4-50B	1408839	QUADROMAX PLUS, 300W, 120-277V, TYPE IV, 5000K, BRONZE
QMP-300UT5-50B	1408841	QUADROMAX PLUS, 300W, 120-277V, TYPE V, 5000K, BRONZE
QMP-50HT2-50B	1408844	QUADROMAX PLUS, 50W, 347-480V, TYPE II, 5000K, BRONZE

# TAA Compliant LED Luminaires

The following MaxLite LED products are manufactured in **SOUTH KOREA**, a designated country under the Trade Agreements Act (TAA).

## Outdoor Fixtures (CONTINUED)

Item No	Order Code	Description
<b>QUADROMAX PLUS (CONTINUED)</b>		
QMP-50HT3-50B	1408846	QUADROMAX PLUS, 50W, 347-480V, TYPE III, 5000K, BRONZE
QMP-50HT4-50B	1408848	QUADROMAX PLUS, 50W, 347-480V, TYPE IV, 5000K, BRONZE
QMP-50HT5-50B	1408850	QUADROMAX PLUS, 50W, 347-480V, TYPE V, 5000K, BRONZE
QMP-50UT2-50B	1408843	QUADROMAX PLUS, 50W, 120-277V, TYPE II, 5000K, BRONZE
QMP-50UT3-50B	14088453	QUADROMAX PLUS, 50W, 120-277V, TYPE III, 5000K, BRONZE
QMP-50UT4-50B	1408847	QUADROMAX PLUS, 50W, 120-277V, TYPE IV, 5000K, BRONZE
QMP-50UT4-50BRPC	1410138	QUADROMAX PLUS, 50W, 120-277V, TYPE IV, 5000K, BRONZE, NEMA 3-PIN PHOTOCELL RECEPTACLE
QMP-50UT5-50B	1408849	QUADROMAX PLUS, 50W, 120-277V, TYPE V, 5000K, BRONZE
QMP-50UT5-50BRPC	100615	QUADROMAX PLUS, 50W, 120-277V, TYPE V, 5000K, BRONZE, 3-PIN PHOTOCONTROL RECEPTACLE

## Indoor Fixtures

Item No	Order Code	Description
<b>HL SERIES LINEAR HIGH BAY</b>		
HL-100UW-40	1409007	HIGH BAY LINEAR 100W 120-277V 4000K WIDE DISTRIBUTION
HL-100UW-50	101446	HIGH BAY LINEAR 100W 120-277V 5000K WIDE DISTRIBUTION
HL-100UW-50EM	107638	HIGH BAY LINEAR 100W 120-277V 5000K WIDE DISTRIBUTION W/ BATTERY BACKUP UNIT
HL-100UW-50MSO	107639	HIGH BAY LINEAR 100W 120-277V 5000K WIDE DISTRIBUTION W/ ON/OFF SENSOR
HL-100UW-50MSV	107640	HIGH BAY LINEAR 100W 120-277V 5000K WIDE DISTRIBUTION W/ BI-LEVEL SENSOR
HL-100UW-50TS	107642	HIGH BAY LINEAR 100W 120-277V 5000K WIDE DISTRIBUTION W/ TRANSLUCENT LENS
HL-150UN-50	101449	HIGH BAY LINEAR 150W 120-277V 5000K NARROW DISTRIBUTION
HL-150UW-40	1409009	HIGH BAY LINEAR 150W 120-277V 4000K WIDE DISTRIBUTION
HL-150UW-50	101448	HIGH BAY LINEAR 150W 120-277V 5000K WIDE DISTRIBUTION
HL-150UW-50MSO	107644	HIGH BAY LINEAR 150W 120-277V 5000K WIDE DISTRIBUTION W/ ON/OFF SENSOR
HL-150UW-50MSV	107645	HIGH BAY LINEAR 150W 120-277V 5000K WIDE DISTRIBUTION W/ BI-LEVEL SENSOR
HL-150UW-50TS	107647	HIGH BAY LINEAR 150W 120-277V 5000K WIDE DISTRIBUTION W/ TRANSLUCENT LENS
HL-200UW-40	1409011	HIGH BAY LINEAR 200W 120-277V 4000K WIDE DISTRIBUTION
HL-200UW-50	101450	HIGH BAY LINEAR 200W 120-277V 5000K WIDE DISTRIBUTION
HL-200UW-50MSO	107649	HIGH BAY LINEAR 200W 120-277V 5000K WIDE DISTRIBUTION W/ ON/OFF SENSOR
HL-200UW-50MSV	107650	HIGH BAY LINEAR 200W 120-277V 5000K WIDE DISTRIBUTION W/ BI-LEVEL SENSOR
HL-200UW-50TS	107652	HIGH BAY LINEAR 200W 120-277V 5000K WIDE DISTRIBUTION W/ TRANSLUCENT LENS
<b>HP SERIES HIGH BAY PENDANT</b>		
HP-090UF-40	1410222	HIGH BAY PENDANT FROSTED LENS 90W 120-277V 4000K
HP-090UF-50	1410223	HIGH BAY PENDANT FROSTED LENS 90W 120-277V 5000K
HP-130UF-40	1410224	HIGH BAY PENDANT FROSTED LENS 130W 120-277V 4000K
HP-130UF-50	1410225	HIGH BAY PENDANT FROSTED LENS 130W 120-277V 5000K
HP-160UF-40	1410226	HIGH BAY PENDANT FROSTED LENS 160W 120-277V 4000K
HP-160UF-50	1410227	HIGH BAY PENDANT FROSTED LENS 160W 120-277V 5000K
HP-185UF-40	1410228	HIGH BAY PENDANT FROSTED LENS 185W 120-277V 4000K
HP-185UF-50	1410229	HIGH BAY PENDANT FROSTED LENS 185W 120-277V 5000K

# TAA Compliant LED Luminaires

The following MaxLite LED products are manufactured in **SOUTH KOREA**, a designated country under the Trade Agreements Act (TAA).

## Indoor Fixtures

Item No	Order Code	Description
<b>RRC DOWNLIGHTS - ENGINES</b>		
RRXC10U30	1410045	RRC LIGHT ENGINE 1000LM 120V 3000K, TRIAC DIMMING
RRXC10U30Z	1410046	RRC LIGHT ENGINE 1000LM 120-277V 3000K, 0-10V DIMMING
RRXC10U35	14099678	RRC LIGHT ENGINE 1000LM 120V 3500K, TRIAC DIMMING
RRXC10U35Z	100351	RRC LIGHT ENGINE 1000LM 120-277V 3500K, 0-10V DIMMING
RRXC10U40	1410048	RRC LIGHT ENGINE 1000LM 120V 4000K, TRIAC DIMMING
RRXC10U40Z	1410049	RRC LIGHT ENGINE 1000LM 120-277V 4000K, 0-10V DIMMING
RRXC12U30ZEM	14099670	RRC LIGHT ENGINE 1000LM 120-277V 3000K, 0-10V DIMMING W/ BATTERY BACKUP
RRXC12U35ZEM	14099671	RRC LIGHT ENGINE 1000LM 120-277V 3500K, 0-10V DIMMING W/ BATTERY BACKUP
RRXC12U40ZEM	14099672	RRC LIGHT ENGINE 1000LM 120-277V 4000K, 0-10V DIMMING W/ BATTERY BACKUP
RRXC15U30	1410054	RRC LIGHT ENGINE 1500LM 120V 3000K, TRIAC DIMMING
RRXC15U30Z	1410055	RRC LIGHT ENGINE 1500LM 120-277V 3000K, 0-10V DIMMING
RRXC15U30ZEM	1410056	RRC LIGHT ENGINE 1500LM 120-277V 3000K, 0-10V DIMMING W/ BATTERY BACKUP
RRXC15U35	14099679	RRC LIGHT ENGINE 1500LM 120V 3500K, TRIAC DIMMING
RRXC15U35Z	100353	RRC LIGHT ENGINE 1500LM 120-277V 3500K, 0-10V DIMMING
RRXC15U35ZEM	14099674	RRC LIGHT ENGINE 1500LM 120-277V 3500K, 0-10V DIMMING W/ BATTERY BACKUP
RRXC15U40	1410057	RRC LIGHT ENGINE 1500LM 120V 4000K, TRIAC DIMMING
RRXC15U40Z	1410058	RRC LIGHT ENGINE 1500LM 120-277V 4000K, 0-10V DIMMING
RRXC15U40ZEM	1410059	RRC LIGHT ENGINE 1500LM 120-277V 4000K, 0-10V DIMMING W/ BATTERY BACKUP
RRXC20U30	1410063	RRC LIGHT ENGINE 2000LM 120V 3000K, TRIAC DIMMING
RRXC20U30Z	1410064	RRC LIGHT ENGINE 2000LM 120-277V 3000K, 0-10V DIMMING
RRXC20U30ZEM	1410065	RRC LIGHT ENGINE 2000LM 120-277V 3000K, 0-10V DIMMING W/ BATTERY BACKUP
RRXC20U35	14099680	RRC LIGHT ENGINE 2000LM 120V 3500K, TRIAC DIMMING
RRXC20U35Z	100368	RRC LIGHT ENGINE 2000LM 120-277V 3500K, 0-10V DIMMING
RRXC20U35ZEM	14099675	RRC LIGHT ENGINE 2000LM 120-277V 3500K, 0-10V DIMMING W/ BATTERY BACKUP
RRXC20U40	1410066	RRC LIGHT ENGINE 2000LM 120V 4000K, TRIAC DIMMING
RRXC20U40Z	1410067	RRC LIGHT ENGINE 2000LM 120-277V 4000K, 0-10V DIMMING
RRXC20U40ZEM	1410068	RRC LIGHT ENGINE 2000LM 120-277V 4000K, 0-10V DIMMING W/ BATTERY BACKUP
<b>RRC DOWNLIGHTS - REFLECTORS</b>		
RRC4-RFL	1410090	4" REFLECTOR FOR RRC DOWNLIGHT SERIES
RRC6-RFL	1410091	6" REFLECTOR FOR RRC DOWNLIGHT SERIES
RRC8-RFL	1410092	8" REFLECTOR FOR RRC DOWNLIGHT SERIES
RR8C-XRING	1410162	8" REFLECTOR WITH EXTRA WIDE WHITE TRIM RING
RRC9-RFL	1410093	9" REFLECTOR FOR RRC DOWNLIGHT SERIES